


# Cd3e monoclonal antibody, clone C363.29B (APC)

Catalog # MAB6103 Size 100 ug

# **Applications**



### Flow Cytometry

Cells from BALB/c mesenteric lymph nodes were double-stained with Cd3e monoclonal antibody, clone C363.29B (FITC) (Cat # MAB6100) and Ptprc monoclonal antibody, clone RA3-6B2 (PE) (Cat # MAB5722), gated on small lymphocytes and analyzed using a FACScan<sup>™</sup> flow cytometer (BDIS, San Jose, CA).

Specification	
Product Description	Rat monoclonal antibody raised against Cd3e.
Immunogen	H-2Kb specific mouse cytotoxic T lymphocyte clone BM10-37.
Host	Rat
Reactivity	Mouse
Specificity	Specificity Mouse CD3ε (Mr 25 kD)
Form	Liquid
Conjugation	APC
Isotype	lgG2b, kappa
Recommend Usage	Flow Cytometry (1 ug/10 <sup>6</sup> cells)  The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (0.09% sodium azide)



#### **Product Information**

Storage Instruction	Store in the dark at 4°C. Do not freeze.  Avoid prolonged exposure to light.  Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

# **Applications**

- Immunoprecipitation
- Flow Cytometry

Cells from BALB/c mesenteric lymph nodes were double-stained with Cd3e monoclonal antibody, clone C363.29B (FITC) (Cat # MAB6100) and Ptprc monoclonal antibody, clone RA3-6B2 (PE) (Cat # MAB5722), gated on small lymphocytes and analyzed using a FACScan™ flow cytometer (BDIS, San Jose, CA).

Gene Info — Cd3e	
Entrez GeneID	<u>12501</u>
Gene Name	Cd3e
Gene Alias	Al504783, CD3, CD3epsilon, T3e
Gene Description	CD3 antigen, epsilon polypeptide
Gene Ontology	<u>Hyperlink</u>
Gene Summary	0
Other Designations	OTTMUSP00000018104

### **Publication Reference**

• <u>Differential effect of interleukin 1 on naive and memory CD4+ T cells.</u>

Luqman M, Greenbaum L, Lu D, Bottomly K.

European Journal of Immunology 1992 Jan; 22(1):95.





<u>Circulating CD3+/T cell receptor V gamma 3+ fetal murine thymocytes home to the skin and give rise to proliferating dendritic epidermal T cells.</u>

Payer E, Elbe A, Stingl G.

Journal of Immunology 1991 Apr; 146(8):2536.

• <u>Differences in the expression profiles of CD45RB, Pgp-1, and 3G11 membrane antigens and in the patterns of lymphokine secretion by splenic CD4+ T cells from young and aged mice.</u>

Ernst DN, Hobbs MV, Torbett BE, Glasebrook AL, Rehse MA, Bottomly K, Hayakawa K, Hardy RR, Weigle WO.

Journal of Immunology 1990 Sep; 145(5):1295.