


# ACTB monoclonal antibody, clone G043

Catalog # MAB8182 Size 100 uL

### **Applications**



## Western Blot (Cell lysate)

Western blot analysis of ACTB in 293 cells. 20 ug of total lysate was bloted with ACTB monoclonal antibody, clone G043 (Cat # MAB8182).

Specification	
Product Description	Mouse monoclonal antibody raised against synthetic peptide of ACTB.
Immunogen	A synthetic peptide corresponding to N-terminus of ACTB.
Host	Mouse
Reactivity	Bovine, Carp, Cat, Chicken, Dog, Guinea pig, Human, Mouse, Pig, Rabbit, Rat, Sheep
Form	Liquid
Recommend Usage	Western Blot (1:1000-1:4000)
	Immunofluorescence (1:100-1:400)  The optimal working dilution should be determined by the end user.
Storage Buffer	In 20 mM PBS, 0.15 M NaCl, pH 7.2 (0.01% sodium azide)
Storage Instruction	Store at 4°C for three months. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.



### **Applications**

Western Blot (Cell lysate)

Western blot analysis of ACTB in 293 cells. 20 ug of total lysate was bloted with ACTB monoclonal antibody, clone G043 (Cat # MAB8182).

Immunofluorescence

### **Publication Reference**

Nebulin regulates the assembly and lengths of the thin filaments in striated muscle.

McElhinny AS, Schwach C, Valichnac M, Mount-Patrick S, Gregorio CC.

The Journal of Cell Biology 2005 Sep; 170(6):947.

Application: IF, Rat, Rat cardiomyocytes

• bPAK-interacting exchange factor may regulate actin cytoskeleton through interaction with actin.

Lee CS, Kim KY, Im JB, Choi JW, Kim HK, Park JS, Shin EY, Kim SR, Kim EG.

Experimental & Molecular Medicine 2004 Dec; 36(6):582.

Application: IP, WB, Rat, PC-12 cells