
BMP4 (Human) Recombinant Protein

Catalog # P3398 Size 100 ug

Applications



Specification

Product Description	Human BMP4 (NP_001193, 293 a.a. - 408 a.a.) partial recombinant protein expressed in *Escherichia coli*.
Sequence	MSPKHHSQRARKKNKNCRRHSLYVDFSDVGWNDWIVAPPGYQAFYCHGDCPFPLADHLNSTNH AIVQTLVNSVNSSIPKACCVPTELSAISMLYLDEYDKVVLKNYQEMVVEGCGCR
Host	Escherichia coli
Theoretical MW (kDa)	13.2
Form	Liquid
Preparation Method	*Escherichia coli* expression system
Purification	This product was expressed as insoluble protein aggregate in E. coli and purified by conventional chr omatography, after refolding of the isolated inclusion bodies in a renaturation buffer.
Concentration	0.5 mg/mL
Purity	> 85% by SDS-PAGE
Endotoxin Level	< 1.0 EU per 1 microgram of protein (determined by LAL method)
Quality Control Testing	3 ug by 15% SDS-PAGE under reducing condition and visualized by Coomassie blue stain.

Copyright © 2023 Abnova Corporation. All Rights Reserved.

Storage Buffer	In 10 mM Sodium citrate buffer, pH 3.5 (10% glycerol).
Storage Instruction	Store at 2°C to 8°C for 1 week. For long term storage store at -20°C to -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- SDS-PAGE

Gene Info — BMP4

Entrez GeneID	652
Protein Accession#	NP_001193
Gene Name	BMP4
Gene Alias	BMP2B, BMP2B1, MCOPS6, ZYME
Gene Description	bone morphogenetic protein 4
Omim ID	112262
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene is a member of the bone morphogenetic protein family which is part of the transforming growth factor-beta superfamily. The superfamily includes large families of growth and differentiation factors. Bone morphogenetic proteins were originally identified by an a bility of demineralized bone extract to induce endochondral osteogenesis in vivo in an extraskelet al site. This particular family member plays an important role in the onset of endochondral bone fo rmation in humans, and a reduction in expression has been associated with a variety of bone dise ases, including the heritable disorder Fibrodysplasia Ossificans Progressiva. Alternative splicing in the 5' untranslated region of this gene has been described and three variants are described, all encoding an identical protein. [provided by RefSeq
Other Designations	bone morphogenetic protein 2B

Pathway

- Basal cell carcinoma
- Cytokine-cytokine receptor interaction
- Hedgehog signaling pathway

Copyright © 2023 Abnova Corporation. All Rights Reserved.

- Pathways in cancer
- TGF-beta signaling pathway

Disease

- Alzheimer disease
- Anemia
- Bone Diseases
- Calcinosis
- Cardiovascular Diseases
- Cleft Lip
- Cleft Palate
- Coloboma
- Colorectal Neoplasms
- Diabetes Complications
- Diabetes Mellitus
- Diabetic Nephropathies
- Disease Susceptibility
- Edema
- Gaucher disease
- Genetic Predisposition to Disease
- Hemochromatosis
- Hypospadias
- Kidney Failure
- Malignant melanoma
- Melanoma
- Metabolic Syndrome X

Copyright © 2023 Abnova Corporation. All Rights Reserved.

- Microphthalmos
- Neoplasms
- Neural Tube Defects
- Obesity
- Osteoporosis
- Ovarian Failure
- Ovarian Neoplasms
- Polycystic Ovary Syndrome
- Prenatal Exposure Delayed Effects
- Puberty
- Skin Neoplasms
- Thrombophilia
- Tobacco Use Disorder

Copyright © 2023 Abnova Corporation. All Rights Reserved.