

Bioactive

CCL15 (Human) Recombinant Protein

Catalog # P3619 Size 25 ug

Specification	
Product Description	Human CCL15 (Q16663, 22 a.a 113 a.a.) partial recombinant protein expressed in <i>Escherichia co li</i> .
Sequence	QFINDAETELMMSKLPLENPVVLNSFHFAADCCTSYISQSIPCSLMKSYFETSSECSKPGVIFLTKK GRQVCAKPSGPGVQDCMKKLKPYSI
Host	Escherichia coli
Theoretical MW (kDa)	10
Form	Lyophilized
Preparation Method	Escherichia coli expression system
Purification	lon exchange column and HPLC reverse phase column
Purity	> 90% by SDS-PAGE and HPLC
Endotoxin Level	< 0.1 ng/ug (1 EU/ug)
Activity	Determined by the ability to chemoattract human monocytes using a concentration range of 2.0-40.0 ng/mL.
Storage Buffer	Lyophilized from 20 mM PB, 100 mM NaCl, pH 7.5
Storage Instruction	Store at -20°C on dry atmosphere for 2 years. After reconstitution with deionized water, store at 4°C for 1 month or store at -20°C for 6 months. Aliquot to avoid repeated freezing and thawing.

Applications

- Functional Study
- SDS-PAGE



Gene Info — CCL15	
Entrez GenelD	6359
Protein Accession#	Q16663
Gene Name	CCL15
Gene Alias	HCC-2, HMRP-2B, LKN1, Lkn-1, MIP-1d, MIP-5, NCC-3, NCC3, SCYA15, SCYL3, SY15
Gene Description	chemokine (C-C motif) ligand 15
Omim ID	601393
Gene Ontology	<u>Hyperlink</u>
Gene Summary	This gene, CCL15, is one of several CC cytokine genes clustered on 17q11.2. The CC cytokines are secreted proteins characterized by two adjacent cysteines. The cytokine encoded by this gene is chemotactic for T cells and monocytes and induces N-acetyl-beta-D-glucosaminidase release in monocytes. It induces changes in intracellular calcium concentration in monocytes and is thought to act through the CCR1 receptor. Read-through transcripts are expressed that include exons from the downstream cytokine gene CCL14, and are represented as GeneID: 348249. [provided by RefSeq
Other Designations	CC chemokine 3 MIP-1 delta OTTHUMP00000163955 chemokine CC-2 leukotactin 1 macrophag e inflammatory protein 5 small inducible cytokine subfamily A (Cys-Cys), member 15

Pathway

- Chemokine signaling pathway
- Cytokine-cytokine receptor interaction

Disease

- Asthma
- Bronchiolitis
- Genetic Predisposition to Disease
- Infant
- Respiratory Syncytial Virus Infections



• Tobacco Use Disorder