

Bioactive

**HuPro®** 

# KLRC1/KLRD1 (Human) Recombinant Protein

Catalog # P6742 Size 100 ug

## **Applications**



## Result of activity analysis

Result of activity analysis

Specification	
Product Description	Human KLRC1/KLRD1 (100 a.a 233 a.a./34 a.a 179 a.a.) partial recombinant protein with a mFc tag at the C-terminus expressed in Expi293 cells.
Host	Human
Form	Lyophilized
Preparation Method	Mammalian cell (Expi293) expression system
Purification	Protein A purification
Purity	> 95% (determined by Tris-Bis PAGE)
Endotoxin Level	< 1 EU/ug of protein (determined by LAL method)



## **Product Information**

Activity	Immobilized human KLRC1/KLRD1, His tag at 0.5 ug/mL (100 uL/well). Dose response curve for Ant i-KLRC1/KLRD1 Ab with the EC $_{50}$ of 0.2 ug/mL determined by ELISA.
Quality Control Testing	Tris-Bis PAGE under reduced condition.
Recommend Usage	Tris-Bis PAGE The optimal working dilution should be determined by the end user.
Conformation	Heterodimer
Storage Buffer	Lyophilized from a 0.22 um filtered solution of PBS, pH 7.4.
Storage Instruction	Store at -80°C on dry atmosphere, lyophilized antibodies are stable at least 2 years.  After reconstitution with deionized water, store at -20°C or lower.  Aliquot to avoid repeated freezing and thawing.
Note	Result of activity analysis Result of activity analysis

# Applications

SDS-PAGE

Gene Info — KLRC1		
Entrez GeneID	<u>3821</u>	
Protein Accession#	P26715;Q13241	
Gene Name	KLRC1	
Gene Alias	CD159A, MGC13374, MGC59791, NKG2, NKG2A	
Gene Description	killer cell lectin-like receptor subfamily C, member 1	
Omim ID	<u>161555</u>	
Gene Ontology	<u>Hyperlink</u>	



#### **Product Information**

Gene	Summary
------	---------

Natural killer (NK) cells are lymphocytes that can mediate lysis of certain tumor cells and virus-infe cted cells without previous activation. They can also regulate specific humoral and cell-mediated i mmunity. The protein encoded by this gene belongs to the killer cell lectin-like receptor family, als o called NKG2 family, which is a group of transmembrane proteins preferentially expressed in NK cells. This family of proteins is characterized by the type II membrane orientation and the presenc e of a C-type lectin domain. This protein forms a complex with another family member, KLRD1/C D94, and has been implicated in the recognition of the MHC class I HLA-E molecules in NK cells. The genes of NKG2 family members form a killer cell lectin-like receptor gene cluster on chromos ome 12. Four alternatively spliced transcript variants encoding two distinct isoforms have been ob served. [provided by RefSeq

#### **Other Designations**

C-lectin type II protein|NK cell receptor A|NKG2-1/B activating NK receptor|NKG2-A/B type II integ ral membrane protein|natural killer cell lectin|natural killer group protein 2

Gene Info — KLRD1		
Entrez GeneID	3824	
Protein Accession#	P26715;Q13241	
Gene Name	KLRD1	
Gene Alias	CD94	
Gene Description	killer cell lectin-like receptor subfamily D, member 1	
Omim ID	602894	
Gene Ontology	<u>Hyperlink</u>	
Gene Summary	Natural killer (NK) cells are a distinct lineage of lymphocytes that mediate cytotoxic activity and se crete cytokines upon immune stimulation. Several genes of the C-type lectin superfamily, includin g members of the NKG2 family, are expressed by NK cells and may be involved in the regulation of NK cell function. KLRD1 (CD94) is an antigen preferentially expressed on NK cells and is class ified as a type II membrane protein because it has an external C terminus. Three transcript variant s encoding two different isoforms have been found for this gene. [provided by RefSeq	
Other Designations	CD94 antigen	

### **Pathway**

- Antigen processing and presentation
- Antigen processing and presentation
- Graft-versus-host disease



- Graft-versus-host disease
- Natural killer cell mediated cytotoxicity
- Natural killer cell mediated cytotoxicity

### Disease

- Abortion
- Arthritis
- Arthritis
- Behcet Syndrome
- Genetic Predisposition to Disease
- Genetic Predisposition to Disease
- Hepatitis B
- Hepatitis B
- Lupus Erythematosus
- Lupus Erythematosus
- Tobacco Use Disorder