

Bioactive


HuPro®

FCGR3A (Human) Recombinant Protein

Catalog # P6766

Size 100 ug

Applications



FCGR3A (Human) Recombinant Protein (Cat #P6766) was determined by SDS-PAGE with Coomassie Blue, showing a band at 45-52 kDa.

Result of activity analysis

Result of activity analysis

Specification

Product Description	Human FCGR3A (NP_001121065.1, 17 a.a. - 208 a.a.) partial recombinant protein with His tag at C-terminus expressed in HEK293 cells.
Host	Human
Theoretical MW (kDa)	45-52
Form	Lyophilized
Preparation Method	Mammalian cell (HEK293) expression system
Purification	Ni-sepharose purification
Purity	> 95% by SDS-PAGE

Endotoxin Level	< 0.1 EU/ug
Activity	Measured by the binding ability in a functional ELISA. Immobilized Recombinant Human CD16A at 5 ug/mL (100 uL/well) can bind Recombinant IgG1 with a linear range of 10-40 ug/mL.
Quality Control Testing	SDS-PAGE Stained with Coomassie Blue FCGR3A (Human) Recombinant Protein (Cat #P6766) was determined by SDS-PAGE with Coomassie Blue, showing a band at 45-52 kDa.
Recommend Usage	SDS-PAGE The optimal working dilution should be determined by the end user.
Storage Buffer	Lyophilized from PBS, pH 7.4.
Storage Instruction	Store the lyophilized protein at -20°C to -80°C for long term. After reconstitution to a concentration of 0.1-0.5 mg/mL in sterile distilled water, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week. Aliquot to avoid repeated freezing and thawing.
Note	Result of activity analysis Result of activity analysis

Applications

- SDS-PAGE

Gene Info — FCGR3A

Entrez GeneID	2214
Protein Accession#	P08637
Gene Name	FCGR3A
Gene Alias	CD16, CD16A, FCG3, FCGR3, FCGRIII, FCR-10, FCRIII, FCRIIIA, IGFR3
Gene Description	Fc fragment of IgG, low affinity IIIa, receptor (CD16a)
Omim ID	146740 152700
Gene Ontology	Hyperlink

Gene Summary

This gene encodes a receptor for the Fc portion of immunoglobulin G, and it is involved in the removal of antigen-antibody complexes from the circulation, as well as other antibody-dependent responses. This gene (FCGR3A) is highly similar to another nearby gene (FCGR3B) located on chromosome 1. The receptor encoded by this gene is expressed on natural killer (NK) cells as an integral membrane glycoprotein anchored through a transmembrane peptide, whereas FCGR3B is expressed on polymorphonuclear neutrophils (PMN) where the receptor is anchored through a phosphatidylinositol (PI) linkage. Mutations in this gene have been linked to susceptibility to recurrent viral infections, susceptibility to systemic lupus erythematosus, and alloimmune neonatal neutropenia. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq]

Other Designations

Fc fragment of IgG, low affinity III, receptor for (CD16)|Fc fragment of IgG, low affinity IIIa, receptor for (CD16)|Fc gamma receptor III-A|Fc-gamma RIII-alpha|Fc-gamma RIIIa|Fc-gamma receptor III-2 (CD 16)|Fc-gamma receptor IIIb (CD16)|FcgammaRIIIA|OTTH

Pathway

- [Fc gamma R-mediated phagocytosis](#)
- [Natural killer cell mediated cytotoxicity](#)
- [Systemic lupus erythematosus](#)

Disease

- [Acute Disease](#)
- [Addison Disease](#)
- [Aggressive Periodontitis](#)
- [Agranulocytosis](#)
- [Alveolar Bone Loss](#)
- [Anemia](#)
- [Anti-Glomerular Basement Membrane Disease](#)
- [Arthritis](#)
- [Asthma](#)
- [Atherosclerosis](#)
- [Autoimmune Diseases](#)

- [Behcet Syndrome](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Candidiasis](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Celiac Disease](#)
- [Cell Transformation](#)
- [Cerebrovascular Accident](#)
- [Chronic Disease](#)
- [Chronic Periodontitis](#)
- [Colorectal Neoplasms](#)
- [Coronary Artery Disease](#)
- [Crohn Disease](#)
- [Cryoglobulinemia](#)
- [Cryptococcosis](#)
- [Diabetes Mellitus](#)
- [Disease Models](#)
- [Disease Progression](#)
- [Disease Susceptibility](#)
- [Edema](#)
- [Epilepsy](#)
- [Genetic Predisposition to Disease](#)
- [Glomerulonephritis](#)
- [Guillain-Barre Syndrome](#)
- [Head and Neck Neoplasms](#)

- [Hepatitis C](#)
- [Herpesviridae Infections](#)
- [Immunologic Deficiency Syndromes](#)
- [Infection](#)
- [Inflammation](#)
- [Inflammatory Bowel Diseases](#)
- [Leukemia](#)
- [Lupus Erythematosus](#)
- [Lupus Nephritis](#)
- [Lymphoma](#)
- [Malaria](#)
- [Meningococcal Infections](#)
- [Mucocutaneous Lymph Node Syndrome](#)
- [Multiple Myeloma](#)
- [Multiple Sclerosis](#)
- [Myasthenia Gravis](#)
- [Myositis](#)
- [Nephritis](#)
- [Neuroblastoma](#)
- [Neutropenia](#)
- [Papillomavirus Infections](#)
- [Pemphigoid](#)
- [Periodontal Attachment Loss](#)
- [Periodontal Diseases](#)
- [Periodontal Pocket](#)

- [Periodontitis](#)
- [Pneumonia](#)
- [Poliomyelitis](#)
- [Postpoliomyelitis Syndrome](#)
- [Purpura](#)
- [Recurrence](#)
- [Respiratory Tract Infections](#)
- [Rhinitis](#)
- [Sarcoma](#)
- [Scleroderma](#)
- [Seizures](#)
- [Sepsis](#)
- [Stomach Neoplasms](#)
- [Temporal Arteritis](#)
- [Thrombocytopenia](#)
- [Thymoma](#)
- [Tobacco Use Disorder](#)
- [Tuberculosis](#)
- [Urinary Tract Infections](#)
- [Uterine Cervical Neoplasms](#)
- [Vasculitis](#)
- [Waldenstrom Macroglobulinemia](#)
- [Wegener Granulomatosis](#)