

Bioactive

Cas9-C-NLS nuclease

Catalog # P7050 Size 50 ug

Applications



Electrophoresis

Electrophoresis DNA cleavage assay with Cas9-C-NLS nuclease. (1) EcoRVlinearized pUC57 plasmid DNA (2) DNA + Cas9 (3) Cas9 + gRNA (4) Cas9 +gRNA + DNA

| Specification | |
|---------------------|---|
| Product Description | Recombinant <i>Streptococcus pyogenes</i> Cas9 (wt) protein expressed in an <i>E. coli</i> with a C-terminal n ucleic localization signal (NLS). |
| Form | Liquid |
| Preparation Method | <i>E. coli</i> expression system |
| Purity | ≥ 95% by SDS-PAGE |
| Endotoxin Level | < 0.1 eu/µg |
| Activity | 20 nM CRISPR/Cas9-C-NLS nuclease incubated for 1 hour at 37°C result in 90% digestion of the su bstrate DNA as determined by agarose gel electrophoresis. |
| Recommend Usage | CRISPR Genome editing The optimal working dilution should be determined by the end user. |
| Storage Buffer | In 10 mM Tris, 300 mM NaCl, 0.1 mM EDTA, 1 mM DTT, 50% Glycerol PH 7.4 |
| Storage Instruction | Store at -20°C. Aliquot to avoid repeated freezing and thawing. |

Copyright © 2023 Abnova Corporation. All Rights Reserved.



Applications

Electrophoresis

Electrophoresis DNA cleavage assay with Cas9-C-NLS nuclease. (1) EcoRV-linearized pUC57 plasmid DNA (2) DNA + Cas9 (3) Cas9 + gRNA (4) Cas9 + gRNA + DNA

CRISPR Genomic Editing