

Bioactive

CSF2 (Human) Recombinant Protein

Catalog # P7110

Size 10 ug

Applications

Result of activity analysis
Competitor

Result of activity analysis
Competitor

Specification

Product Description	Human CSF2 (P04141, 18 a.a. - 144 a.,a.) partial recombinant protein expressed in CHO cells.
Sequence	MAPARSPSPSTQPWEHVNAIQEARRLLNLSRDTAAEMNETVEISEMFDLQEPTCLQTRLELYKQ GLRGSLTKLKGPLTMMASHYKQHCPPTPETSCATQITFESFKENLKDFLLVIPFDCWEPVQE
Host	Mammals
Theoretical MW (kDa)	22 - 28
Form	Lyophilized
Preparation Method	Mammalian cell (CHO) expression system
Purity	> 95% as analyzed by SDS-PAGE. > 95% as analyzed by HPLC.
Endotoxin Level	< 0.2 EU/ugof protein(gel clotting method)
Activity	ED ₅₀ < 0.2 ng/mL, measured in a cell proliferation assay using TF-1 cells, corresponding to a specific activity of > 5.0× 10 ⁶ units/mg.
Recommend Usage	Biological Activity SDS-PAGE The optimal working dilution should be determined by the end user.

Storage Buffer	Lyophilized from PBS. Reconstitute the lyophilized powder in ddH ₂ O up to 100 ug/mL.
Storage Instruction	Store at 4°C to 8°C for 1 week. For long term storage store at -20°C to -80°C. Aliquot to avoid repeated freezing and thawing.
Note	Result of activity analysis Competitor Result of activity analysis Competitor

Applications

- Functional Study
- SDS-PAGE

Gene Info — CSF2

Entrez GeneID	1437
Protein Accession#	P04141
Gene Name	CSF2
Gene Alias	GMCSF, MGC131935, MGC138897
Gene Description	colony stimulating factor 2 (granulocyte-macrophage)
Omim ID	138960
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene is a cytokine that controls the production, differentiation, and function of granulocytes and macrophages. The active form of the protein is found extracellularly as a homodimer. This gene has been localized to a cluster of related genes at chromosome region 5q 31, which is known to be associated with interstitial deletions in the 5q- syndrome and acute myelogenous leukemia. Other genes in the cluster include those encoding interleukins 4, 5, and 13. [provided by RefSeq]
Other Designations	colony stimulating factor 2 granulocyte-macrophage colony stimulating factor molgramostin sargramostim

Pathway

- [Cytokine-cytokine receptor interaction](#)
- [Fc epsilon RI signaling pathway](#)
- [Hematopoietic cell lineage](#)
- [Jak-STAT signaling pathway](#)
- [Natural killer cell mediated cytotoxicity](#)
- [T cell receptor signaling pathway](#)

Disease

- [Alzheimer disease](#)
- [Asthma](#)
- [Atherosclerosis](#)
- [Blindness](#)
- [Brain Ischemia](#)
- [Bronchial Hyperreactivity](#)
- [Bronchiolitis](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Chlamydia Infections](#)
- [Chorioamnionitis](#)
- [Coronary Artery Disease](#)
- [Coronary Disease](#)
- [Dermatitis](#)
- [Diabetes Complications](#)
- [Diabetes Mellitus](#)
- [Edema](#)
- [Erythema Nodosum](#)

- [Esophagitis](#)
- [Fetal Membranes](#)
- [Genetic Predisposition to Disease](#)
- [Hypersensitivity](#)
- [Hypertension](#)
- [Infant](#)
- [Inflammation](#)
- [Kidney Failure](#)
- [Leukemia](#)
- [Lung Neoplasms](#)
- [Metabolic Syndrome X](#)
- [Migraine Disorders](#)
- [Neoplasms](#)
- [Neovascularization](#)
- [Obesity](#)
- [Obstetric Labor](#)
- [Osteoporosis](#)
- [Pain](#)
- [Pre-Eclampsia](#)
- [Pregnancy Complications](#)
- [Premature Birth](#)
- [Pulmonary Disease](#)
- [Radiation Injuries](#)
- [Radiation Pneumonitis](#)
- [Recurrence](#)
- [Respiratory Syncytial Virus Infections](#)

- [Rhinitis](#)
- [Sarcoidosis](#)
- [Stroke](#)
- [Thyroid Neoplasms](#)
- [Trachoma](#)
- [Urinary Bladder Neoplasms](#)
- [Werner syndrome](#)