


Bioactive

IL3 (Human) Recombinant Protein

Catalog # P7412 Size 10 ug

Applications



Result of activity analysis

Result of activity analysis

Specification

Product Description	Human IL3 (P08700, 20 a.a. - 152 a.a.) partial recombinant protein with an N-terminal Met expressed in <i>Escherichia coli</i> .
Sequence	APMTQTTPLKTSWVNCNMIIDEIITHLKQPPLPLLDFFNNLNGEDQDILMENNLRPNLEAFNRAVK SLQNASAIESILKNLLPCLPLATAAPTRHPHIIKGDWNEFRKLFYLYKTLENAQAQQTTLSLAIF
Host	<i>Escherichia coli</i>
Theoretical MW (kDa)	~ 15.2
Form	Lyophilized
Preparation Method	<i>Escherichia coli</i> expression system
Purity	> 95% as analyzed by SDS-PAGE. > 95% as analyzed by HPLC.
Endotoxin Level	< 0.2 EU/ ug of protein (gel clotting method)
Activity	ED ₅₀ < 0.5 ng/mL, measured by a cell proliferation assay using TF-1 cells, corresponding to a specific activity of > 2.0 × 10 ⁷ units/mg.

Recommend Usage	Biological Activity SDS-PAGE The optimal working dilution should be determined by the end user.
Storage Buffer	Lyophilized from PBS. Reconstitute the lyophilized powder in ddH ₂ O up to 100 ug/mL.
Storage Instruction	Store at 4°C for 1 week. For long term storage store at -20°C to -80°C. Aliquot to avoid repeated freezing and thawing.
Note	Result of activity analysis Result of activity analysis

Applications

- Functional Study
- SDS-PAGE

Gene Info — IL3

Entrez GeneID	3562
Protein Accession#	P08700
Gene Name	IL3
Gene Alias	IL-3, MCGF, MGC79398, MGC79399, MULTI-CSF
Gene Description	interleukin 3 (colony-stimulating factor, multiple)
Omim ID	147740
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene is a potent growth promoting cytokine. This cytokine is capable of supporting the proliferation of a broad range of hematopoietic cell types. It is involved in a variety of cell activities such as cell growth, differentiation and apoptosis. This cytokine has been shown to also possess neurotrophic activity, and it may be associated with neurologic disorders. [provided by RefSeq]
Other Designations	P-cell stimulating factor hematopoietic growth factor interleukin 3 mast-cell growth factor multilineage-colony-stimulating factor

Pathway

- [Apoptosis](#)
- [Asthma](#)
- [Cytokine-cytokine receptor interaction](#)
- [Fc epsilon RI signaling pathway](#)
- [Hematopoietic cell lineage](#)
- [Jak-STAT signaling pathway](#)

Disease

- [Adenocarcinoma](#)
- [Alzheimer disease](#)
- [Arthritis](#)
- [Asthma](#)
- [Bronchial Hyperreactivity](#)
- [Bronchiolitis](#)
- [Cardiovascular Diseases](#)
- [Celiac Disease](#)
- [Chorioamnionitis](#)
- [Diabetes Complications](#)
- [Diabetes Mellitus](#)
- [Edema](#)
- [Esophageal Neoplasms](#)
- [Fetal Membranes](#)
- [Genetic Predisposition to Disease](#)
- [Graves Disease](#)

- [Hyperparathyroidism](#)
- [Hypersensitivity](#)
- [Hypertension](#)
- [Infant](#)
- [Kidney Failure](#)
- [Lung Neoplasms](#)
- [Lymphoma](#)
- [Malaria](#)
- [Metabolic Syndrome X](#)
- [Multiple Sclerosis](#)
- [Neoplasms](#)
- [Obstetric Labor](#)
- [Osteoporosis](#)
- [Pre-Eclampsia](#)
- [Pregnancy Complications](#)
- [Premature Birth](#)
- [Pulmonary Disease](#)
- [Respiratory Syncytial Virus Infections](#)
- [Rhinitis](#)
- [Schizophrenia](#)
- [Thyroid Neoplasms](#)
- [Urinary Bladder Neoplasms](#)
- [Werner syndrome](#)