Full-Length

TNFRSF13B (Human) Recombinant Protein

Catalog # P9192 Size 2 x 10 ug

Specification

Product Description	Human TNFRSF13B full-length recombinant protein with hIgG His tag in C-terminus expressed in insect cells.
Sequence	ADLMSGLGRSRRGGRSRVDQEERFPQGLWTGVAMRSCPEEQYWDPLLGTCMSCKTICNHQSQRTCAAFCRSLSCRKEQGKFYDHLLRDCISCASICGQHPKQCAYFCENKLRSPVNLPPELRRQRSGEVENNSDNSGRYQGLEHRGSEASPALPGLKLSADQVALVYSLEPKSCDKTHTCPPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGKHHHHHH
Host	insect
Theoretical MW (kDa)	45.8
Specificity	TACI Human, Sf9
Form	Liquid
Preparation Method	Insect cell expression system
Purification	chromatographic
Purity	> 90% as determined by SDS-PAGE.
Storage Buffer	Solution (0.25 mg/mL) containing 1X PBS, pH 7.4, 30% glycerol, 1 mM DTT.
Storage Instruction	Store at 4°C for 2-4 weeks and should be stored at -20°C to -80°C. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Avoid repeated freeze/thaw cycles.

Applications

- SDS-PAGE

Copyright © 2023 Abnova Corporation. All Rights Reserved.

Gene Info — TNFRSF13B

Entrez GeneID	23495
Protein Accession#	Q4ACX1
Gene Name	TNFRSF13B
Gene Alias	CD267, CVID, FLJ39942, MGC133214, MGC39952, TACI, TNFRSF14B
Gene Description	tumor necrosis factor receptor superfamily, member 13B
Omim ID	240500 604907 609529
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene is a lymphocyte-specific member of the tumor necrosis factor (TNF) receptor superfamily. It interacts with calcium-modulator and cyclophilin ligand (CAML). The protein induces activation of the transcription factors NFAT, AP1, and NF-kappa-B and plays a crucial role in humoral immunity by interacting with a TNF ligand. This gene is located within the Smith-Magenis syndrome region on chromosome 17. [provided by RefSeq
Other Designations	OTTHUMP00000065442|transmembrane activator and CAML interactor|tumor necrosis factor receptor 13B

Pathway

- Cytokine-cytokine receptor interaction
- Primary immunodeficiency

Disease

- Abnormalities
- Agammaglobulinemia
- Chromosome Deletion
- Common Variable Immunodeficiency
- Genetic Predisposition to Disease
- Hematologic Diseases
- Hodgkin Disease

Copyright © 2023 Abnova Corporation. All Rights Reserved.

- IgA Deficiency
- Intracranial Aneurysm
- Lupus Erythematosus
- Lymphoproliferative Disorders
- Mental Retardation
- Metabolic Syndrome X
- Multiple Myeloma
- Obesity
- Occupational Diseases
- Renal Insufficiency
- Respiratory Tract Infections
- Syndrome
- Waldenstrom Macroglobulinemia
- Werner syndrome

Copyright © 2023 Abnova Corporation. All Rights Reserved.