


Bioactive

HuPro®

CD300A (Human) Recombinant Protein


Catalog # P9845 Size 100 ug

Applications




Enzyme-linked Immunoabsorbent Assay

Immobilized Human CD300A, His Tag at 0.5 ug/mL (100 uL/Well) on the plate. Dose response curve for Anti-CD300A Antibody, hFc Tag with the EC50 of 34.4 ng/mL determined by ELISA.



SEC-HPLC

The purity of Human CD300A is greater than 95% as determined by SEC-HPLC.



Tris-Bis PAGE

Human CD300A on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.

Specification



Product Information

| Product Description | Human CD300A (Q9UGN4-1, Leu18-Pro180) partial recombinant protein with His tag at C-Terminus expressed in HEK293 cells. |
|-------------------------|--|
| Sequence | Leu18-Pro180 |
| Host | Human |
| Theoretical MW (kDa) | 18.7 |
| Form | Lyophilized |
| Preparation Method | Mammalian cell (HEK293) expression system |
| Purity | > 95% as determined by Tris-Bis PAGE; > 95% as determined by HPLC |
| Endotoxin Level | < 1 EU per 1 ug of protein (determined by LAL method) |
| Activity | The EC ₅₀ was 9.4 ng/mL, messured by ELISA at 0.5 ug/mL. |
| Quality Control Testing | SEC-HPLC and Tris-Bis PAGE SEC-HPLC The purity of Human CD300A is greater than 95% as determined by SEC-HPLC. Tris-Bis PAGE Human CD300A on Tris-Bis PAGE under reduced condition. The purity is greater than 95%. |
| Recommend Usage | Biological Activity ELISA SDS-PAGE The optimal working dilution should be determined by the end user. |
| Storage Buffer | Lyophilized from sterile distilled Water is > 100 ug/mL |
| Storage Instruction | Store at 2°C to 8°C for 1 week. For long term storage, aliquot and store at -20°C to -80°C. Aliquot to avoid repeated freezing and thawing. |
| Note | Result of bioactivity analysis |

Applications

Enzyme-linked Immunoabsorbent Assay

Immobilized Human CD300A, His Tag at 0.5 ug/mL (100 uL/Well) on the plate. Dose response curve for Anti-CD300A Antibody, hFc Tag with the EC50 of 34.4 ng/mL determined by ELISA.

- Functional Study
- SDS-PAGE



Product Information

| Gene | Info — | CD300A |
|------|--------|--------|
| | | |

| Entrez GeneID | <u>11314</u> |
|--------------------|---|
| Protein Accession# | Q9UGN4-1 |
| Gene Name | CD300A |
| Gene Alias | CMRF-35-H9, CMRF-35H, CMRF35H, CMRF35H9, IGSF12, IRC1, IRC2, IRp60 |
| Gene Description | CD300a molecule |
| Omim ID | 606790 |
| Gene Ontology | <u>Hyperlink</u> |
| Gene Summary | The CMRF35 antigen (CMRF35A; MIM 606786), which was identified by reactivity with a monocl onal antibody, is present on monocytes, neutrophils, and some T and B lymphocytes. CMRF35H is recognized by the same antibody and is distinct from CMRF35 (Green et al., 1998 [PubMed 97 01027]).[supplied by OMIM |
| Other Designations | CD300a antigen CMRF35H leukocyte immunoglobulin-like receptor leukocyte membrane antigen |