


SMAD3 polyclonal antibody

Catalog # PAB0288

Size 100 ug

Applications



Western Blot (Tissue lysate)

Western blot analysis of SMAD3 in the 1) absence and 2) presence of immunizing peptide in human liver lysate, 3) mouse liver and 4) rat liver. Using SMAD3 polyclonal antibody (Cat # PAB0288) at 0.5 ug/mL .

Specification

Product Description	Rabbit polyclonal antibody raised against partial recombinant SMAD3.
Immunogen	Recombinant protein corresponding to amino acids 100-150 of human SMAD3.
Host	Rabbit
Reactivity	Bovine, Dog, Human, Monkey, Mouse, Pig, Rat
Form	Liquid
Recommend Usage	The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (0.2% gelatin, 0.05% sodium azide)
Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Tissue lysate)

Western blot analysis of SMAD3 in the 1) absence and 2) presence of immunizing peptide in human liver lysate, 3) mouse liver and 4) rat liver. Using SMAD3 polyclonal antibody (Cat # PAB0288) at 0.5 ug/mL .

Gene Info — SMAD3

Entrez GeneID	4088
Gene Name	SMAD3
Gene Alias	DKFZp586N0721, DKFZp686J10186, HSPC193, HsT17436, JV15-2, MADH3, MGC60396
Gene Description	SMAD family member 3
Omim ID	603109
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene belongs to the SMAD, a family of proteins similar to the gene products of the Drosophila gene 'mothers against decapentaplegic' (Mad) and the C. elegans gene Sma. SMAD proteins are signal transducers and transcriptional modulators that mediate multiple signaling pathways. This protein functions as a transcriptional modulator activated by transforming growth factor-beta and is thought to play a role in the regulation of carcinogenesis. [provided by RefSeq]
Other Designations	MAD, mothers against decapentaplegic homolog 3 SMA- and MAD-related protein 3 SMAD, mothers against DPP homolog 3 mad homolog JV15-2 mad protein homolog mothers against decapentaplegic homolog 3

Pathway

- [Adherens junction](#)
- [Cell cycle](#)
- [Chronic myeloid leukemia](#)
- [Colorectal cancer](#)
- [Pancreatic cancer](#)
- [Pathways in cancer](#)

- [TGF-beta signaling pathway](#)
- [Wnt signaling pathway](#)

Disease

- [Alzheimer disease](#)
- [Anemia](#)
- [Asthma](#)
- [Bacteremia](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Cleft Lip](#)
- [Cleft Palate](#)
- [Coronary Artery Disease](#)
- [Crohn Disease](#)
- [Diabetes Mellitus](#)
- [Diabetic Nephropathies](#)
- [Genetic Predisposition to Disease](#)
- [Graft vs Host Disease](#)
- [Head and Neck Neoplasms](#)
- [Hypersensitivity](#)
- [Hypertension](#)
- [Keloid](#)
- [Kidney Failure](#)
- [Liver Cirrhosis](#)
- [Neoplasm Recurrence](#)
- [Neoplasms](#)

- [Obesity](#)
- [Occupational Diseases](#)
- [Osteoarthritis](#)
- [Osteoporosis](#)
- [Ovarian cancer](#)
- [Ovarian Failure](#)
- [Ovarian Neoplasms](#)
- [Pancreatic cancer](#)
- [Pancreatic Neoplasms](#)
- [Polycystic Ovary Syndrome](#)
- [Prostate cancer](#)
- [Prostatic Neoplasms](#)
- [Puberty](#)
- [Pulmonary Disease](#)
- [Thrombophilia](#)
- [Tobacco Use Disorder](#)