

Rabbit Anti-Chicken IgG (H&L) secondary antibody (Alkaline Phosphatase)

Catalog # PAB10507 Size 1 mg

Specification

| | |
|----------------------------|--|
| Product Description | Rabbit anti-chicken IgG recognizes chicken IgG whole molecule. This secondary antibody was purified using antigen affinity chromatography. The antibody is conjugated with Alkaline Phosphatase. |
| Immunogen | Chicken IgG whole molecule |
| Host | Rabbit |
| Reactivity | Chicken |
| Form | Liquid |
| Conjugation | Alkaline Phosphatase (Calf Intestine) |
| Purification | This product was prepared from monospecific antiserum by immunoaffinity chromatography, followed by solid phase adsorption(s) to remove any unwanted reactivities. |
| Recommend Usage | The optimal working dilution should be determined by the end user. |
| Storage Buffer | In 50 mM Tris-Cl, 150 mM NaCl, 1 mM MgCl, 0.1 mM ZnCl ₂ , 50% (v/v) glycerol, pH 8.0 (0.09% sodium azide) |
| Storage Instruction | Store at 4°C. Do not Freeze. |
| Note | This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |

Applications

- Western Blot
- Immunohistochemistry
- Enzyme-linked Immunoabsorbent Assay

- Dot Blot
- Enzyme Immunoassay

Publication Reference

- [MicroRNA-34 Contributes to the Stress-related Behavior and Affects 5-HT Prefrontal/GABA Amygdalar System through Regulation of Corticotropin-releasing Factor Receptor 1.](#)

Andolina D, Di Segni M, Accoto A, Lo Iacono L, Borreca A, Ielpo D, Berretta N, Perlas E, Puglisi-Allegra S, Ventura R.
Molecular Neurobiology 2018 Feb; [Epub].

Application: WB-Ce, Mouse, Tissue extract

- [Peroxidase labelled antibody and Fab conjugates with enhanced intracellular penetration.](#)

Avrameas S, Ternynck T.

Immunochemistry 1971 Dec; 8(12):1175.