


MMP13 polyclonal antibody

Catalog # PAB16221

Size 50 ug

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical (Formalin/PFA-fixed paraffin-embedded sections) staining of human breast carcinoma with MMP13 polyclonal antibody (Cat # PAB16221).

Specification

Product Description	Rabbit polyclonal antibody raised against synthetic peptide of MMP13.
Immunogen	A synthetic peptide (conjugated with KLH) corresponding to human MMP13.
Host	Rabbit
Reactivity	Human
Specificity	N-terminal domain of human .
Form	Liquid
Purification	Immunoaffinity purification
Recommend Usage	Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (17 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (0.09% sodium azide)
Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical (Formalin/PFA-fixed paraffin-embedded sections) staining of human breast carcinoma with MMP13 polyclonal antibody (Cat # PAB16221).

Gene Info — MMP13

Entrez GeneID [4322](#)

Protein Accession# [P45452](#)

Gene Name MMP13

Gene Alias CLG3

Gene Description matrix metalloproteinase 13 (collagenase 3)

Omim ID [600108 602111](#)

Gene Ontology [Hyperlink](#)

Gene Summary

Proteins of the matrix metalloproteinase (MMP) family are involved in the breakdown of extracellular matrix in normal physiological processes, such as embryonic development, reproduction, and tissue remodeling, as well as in disease processes, such as arthritis and metastasis. Most MMP's are secreted as inactive proproteins which are activated when cleaved by extracellular proteinases. The protein encoded by this gene cleaves type II collagen more efficiently than types I and III. It may be involved in articular cartilage turnover and cartilage pathophysiology associated with osteoarthritis. The gene is part of a cluster of MMP genes which localize to chromosome 11q22.3. [provided by RefSeq]

Other Designations collagenase 3|matrix metalloproteinase 13|matrix metalloproteinase 13 (collagenase 3)

Disease

- [Adenocarcinoma](#)
- [Alveolar Bone Loss](#)
- [Aortic Aneurysm](#)

- [Arteriosclerosis](#)
- [Arthritis](#)
- [Atherosclerosis](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Chorioamnionitis](#)
- [Chronic Periodontitis](#)
- [Cleft Lip](#)
- [Cleft Palate](#)
- [Coronary Artery Disease](#)
- [Diabetes Mellitus](#)
- [Disease Progression](#)
- [Edema](#)
- [Endometriosis](#)
- [Esophageal Neoplasms](#)
- [Fetal Membranes](#)
- [Genetic Predisposition to Disease](#)
- [Gingival Hemorrhage](#)
- [Heart Neoplasms](#)
- [Hepatitis C](#)
- [Intervertebral Disk Displacement](#)
- [Liver Cirrhosis](#)
- [Lung Neoplasms](#)
- [Mouth Neoplasms](#)

- [Mucocutaneous Lymph Node Syndrome](#)
- [Nasopharyngeal Neoplasms](#)
- [Neoplasms](#)
- [Obstetric Labor](#)
- [Osteomyelitis](#)
- [Ovarian cancer](#)
- [Ovarian Neoplasms](#)
- [Periodontal Attachment Loss](#)
- [Pre-Eclampsia](#)
- [Premature Birth](#)
- [Stomach Neoplasms](#)