

CREB1 polyclonal antibody


Catalog # PAB18168 Size 100 ug

Applications



Western Blot (Cell lysate)

Western blot analysis of extracts from HeLa cells, treated with Insulin (0.01 U/mL, 15 mins), using CREB1 polyclonal antibody (Cat # PAB18168). Peptide "+" means "peptide blocking".



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical analysis of paraffin-embedded human tonsil tissue using CREB1 polyclonal antibody (Cat # PAB18168). Peptide "+" means "peptide blocking".

Specification

Product Description	Rabbit polyclonal antibody raised against synthetic peptide of CREB1.
Immunogen	A synthetic peptide corresponding to human CREB1.
Host	Rabbit
Reactivity	Human, Mouse, Rat
Specificity	This antibody is specific to CREB1.
Form	Liquid

Purification	Affinity purification
Concentration	1 mg/mL
Recommend Usage	Western Blot (1:500-1:1000) Immunohistochemistry (1:50-1:100) ELISA (1:5000) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, 150mM NaCl, pH 7.4 (50% glycerol, 0.02% sodium azide)
Storage Instruction	Store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Cell lysate)

Western blot analysis of extracts from HeLa cells, treated with Insulin (0.01 U/mL, 15 mins), using CREB1 polyclonal antibody (Cat # PAB18168).

Peptide "+" means "peptide blocking".

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical analysis of paraffin-embedded human tonsil tissue using CREB1 polyclonal antibody (Cat # PAB18168).

Peptide "+" means "peptide blocking".

- Enzyme-linked Immunoabsorbent Assay

Gene Info — CREB1

Entrez GeneID	1385
Protein Accession#	P16220
Gene Name	CREB1
Gene Alias	CREB, MGC9284
Gene Description	cAMP responsive element binding protein 1
Omim ID	123810
Gene Ontology	Hyperlink

Gene Summary

This gene encodes a transcription factor that is a member of the leucine zipper family of DNA binding proteins. This protein binds as a homodimer to the cAMP-responsive element, an octameric palindrome. The protein is phosphorylated by several protein kinases, and induces transcription of genes in response to hormonal stimulation of the cAMP pathway. Alternate splicing of this gene results in two transcript variants encoding different isoforms. [provided by RefSeq]

Other Designations

active transcription factor CREB|cAMP-response element-binding protein-1|transactivator protein

Publication Reference

- [Loss of expression of the ubiquitous transcription factor cAMP response element-binding protein \(CREB\) and compensatory overexpression of the activator CREMtau in the human adrenocortical cancer cell line H295R.](#)

Groussin L, Massias JF, Bertagna X, Bertherat J.

The Journal of Clinical Endocrinology and Metabolism 2000 Jan; 85(1):345.

Application: WB-Ce, SA, Human, HeLa, H295R, H293, DMS79 cells

Pathway

- [Antigen processing and presentation](#)
- [Melanogenesis](#)
- [Prostate cancer](#)

Disease

- [Alcoholism](#)
- [Alzheimer disease](#)
- [Anorexia Nervosa](#)
- [Arousal](#)
- [Asthma](#)
- [Avoidance Learning](#)
- [Bipolar Disorder](#)
- [Bulimia](#)
- [Cardiovascular Diseases](#)

- [Choice Behavior](#)
- [Cognition](#)
- [Depressive Disorder](#)
- [Diabetes Complications](#)
- [Diabetes Mellitus](#)
- [Disease Models](#)
- [Dominance](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Inflammation](#)
- [Lymphoma](#)
- [Memory](#)
- [Metabolic Syndrome X](#)
- [Mood Disorders](#)
- [Neoplasms](#)
- [Osteoporosis](#)
- [Pattern Recognition](#)
- [Personality Inventory](#)
- [Psychiatric Status Rating Scales](#)
- [Psychomotor Performance](#)
- [Schizophrenia](#)
- [Schizophrenic Psychology](#)
- [Sleep Disorders](#)
- [Weight Gain](#)