


PHB polyclonal antibody


Catalog # PAB18886 Size 100 ug

Applications



Western Blot (Cell lysate)

Western blot analysis of MGC803 cell lysate with PHB polyclonal antibody (Cat # PAB18886) at 1:500 dilution.



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections)

Immunohistochemical staining of formalin-fixed paraffin-embedded human fetal liver tissue showing cytoplasmic staining with PHB polyclonal antibody (Cat # PAB18886) at 1 : 100 dilution.

Specification	
Product Description	Rabbit polyclonal antibody raised against synthetic peptide of PHB.
Immunogen	A synthetic peptide corresponding to 16 amino acids of human PHB.
Host	Rabbit
Reactivity	Human, Mouse, Rat
Form	Liquid



Product Information

Recommend Usage	ELISA (1:80000) Western Blot (1:200-1:1000) Immunohistochemistry (1:50-1:200) The optimal working dilution should be determined by the end user.
Storage Buffer	In buffer containing 0.02% sodium azide
Storage Instruction	Store at 4°C for three months. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

Western Blot (Cell lysate)

Western blot analysis of MGC803 cell lysate with PHB polyclonal antibody (Cat # PAB18886) at 1:500 dilution.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of formalin-fixed paraffin-embedded human fetal liver tissue showing cytoplasmic staining with PHB polyclonal antibody (Cat # PAB18886) at 1 : 100 dilution.

Enzyme-linked Immunoabsorbent Assay

Gene Info — PHB	
Entrez GeneID	<u>5245</u>
Protein Accession#	NP_002625
Gene Name	PHB
Gene Alias	PHB1
Gene Description	prohibitin
Omim ID	<u>176705</u>
Gene Ontology	<u>Hyperlink</u>



Product Information

Gene Summary

Prohibitin is an evolutionarily conserved gene that is ubiquitously expressed. It is thought to be a n egative regulator of cell proliferation and may be a tumor suppressor. Mutations in PHB have bee n linked to sporadic breast cancer. Prohibitin is expressed as two transcripts with varying lengths of 3' untranslated region. The longer transcript is present at higher levels in proliferating tissues an d cells, suggesting that this longer 3' untranslated region may function as a trans-acting regulatory RNA. [provided by RefSeq

Other Designations

-

Disease

- Breast cancer
- Breast Neoplasms
- Genetic Predisposition to Disease
- Lung Neoplasms
- Ovarian cancer
- Ovarian Neoplasms
- Pulmonary Disease
- Urinary Bladder Neoplasms
- Werner syndrome