


TYROBP polyclonal antibody

Catalog # PAB23872 Size 100 uL


Applications



Western Blot (Transfected lysate)

Western blot analysis of Lane 1: Negative control (vector only transfected HEK293T lysate).

Lane 2: Over-expression lysate (Co-expressed with a C-terminal myc-DDK tag (~3.1 kDa) in mammalian HEK293T cells with TYROBP polyclonal antibody (Cat # PAB23872).



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections)

Immunohistochemical staining of human bone marrow with TYROBP polyclonal antibody (Cat # PAB23872) shows strong cytoplasmic positivity in hematopoietic cells.

| Specification | |
|---------------------|---|
| Product Description | Rabbit polyclonal antibody raised against recombinant TYROBP. |
| Immunogen | Recombinant protein corresponding to amino acids of human TYROBP. |
| Sequence | FLGRLVPRGRGAAEAATRKQRITETESPYQELQGQRSDVYSDLNTQRPYYK |
| Host | Rabbit |
| Reactivity | Human |
| Form | Liquid |
| Purification | Antigen affinity purification |



Product Information

| Isotype | lgG |
|---------------------|---|
| Recommend Usage | Immunohistochemistry (1:200-1:500) The optimal working dilution should be determined by the end user. |
| Storage Buffer | In PBS, pH 7.2 (40% glycerol, 0.02% sodium azide) |
| Storage Instruction | Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing. |
| Note | This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only. |

Applications

Western Blot (Transfected lysate)

Western blot analysis of Lane 1: Negative control (vector only transfected HEK293T lysate). Lane 2: Over-expression lysate (Co-expressed with a C-terminal myc-DDK tag (~3.1 kDa) in mammalian HEK293T cells with TYROBP polyclonal antibody (Cat # PAB23872).

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of human bone marrow with TYROBP polyclonal antibody (Cat # PAB23872) shows strong cytoplasmic positivity in hematopoietic cells.

| Gene Info — TYROBP | |
|--------------------|--|
| Entrez GenelD | <u>7305</u> |
| Protein Accession# | <u>O43914</u> |
| Gene Name | TYROBP |
| Gene Alias | DAP12, KARAP, PLOSL |
| Gene Description | TYRO protein tyrosine kinase binding protein |
| Omim ID | <u>221770</u> <u>604142</u> |
| Gene Ontology | Hyperlink |



Product Information

Gene Summary

This gene encodes a transmembrane signaling polypeptide which contains an immunoreceptor ty rosine-based activation motif (ITAM) in its cytoplasmic domain. The encoded protein may associ ate with the killer-cell inhibitory receptor (KIR) family of membrane glycoproteins and may act as a n activating signal transduction element. This protein may bind zeta-chain (TCR) associated prote in kinase 70kDa (ZAP-70) and spleen tyrosine kinase (SYK) and play a role in signal transduction, bone modeling, brain myelination, and inflammation. Mutations within this gene have been associated with polycystic lipomembranous osteodysplasia with sclerosing leukoencephalopathy (PLO SL), also known as Nasu-Hakola disease. Its putative receptor, triggering receptor expressed on myeloid cells 2 (TREM2), also causes PLOSL. Two alternative transcript variants encoding distinct isoforms have been identified for this gene. Other alternative splice variants have been described, but their full-length nature has not been deterimined. [provided by RefSeq

Other Designations

DNAX-activation protein 12|killer activating receptor associated protein

Pathway

Natural killer cell mediated cytotoxicity

Disease

- Brain Diseases
- Demyelinating Diseases
- Genetic Predisposition to Disease
- Multiple Sclerosis
- Ovarian Neoplasms