
GAD2 polyclonal antibody

Catalog # PAB25212 Size 100 uL

Applications



Western Blot (Cell lysate)

Western blot analysis of HUVEC cell lysate with GAD2 polyclonal antibody (Cat # PAB25212).

Specification

Product Description	Rabbit polyclonal antibody raised against synthetic peptide of GAD2.
Immunogen	A synthetic peptide corresponding to GAD2.
Host	Rabbit
Theoretical MW (kDa)	38
Reactivity	Human
Specificity	GAD2 polyclonal antibody detects endogenous levels of GAD2 protein.
Form	Liquid
Purification	Affinity purification
Concentration	1 mg/mL
Recommend Usage	Western Blot (1:500-1:1000) Immunohistochemistry (1:50-1:200) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.2 (0.05% sodium azide)

Copyright © 2023 Abnova Corporation. All Rights Reserved.

Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

- Western Blot (Cell lysate)

  Western blot analysis of HUVEC cell lysate with GAD2 polyclonal antibody (Cat # PAB25212).

Gene Info — GAD2

Entrez GeneID	2572
Gene Name	GAD2
Gene Alias	GAD65, MGC161605, MGC161607
Gene Description	glutamate decarboxylase 2 (pancreatic islets and brain, 65kDa)
Omim ID	138275
Gene Ontology	Hyperlink
Gene Summary	This gene encodes one of several forms of glutamic acid decarboxylase, identified as a major aut oantigen in insulin-dependent diabetes. The enzyme encoded is responsible for catalyzing the pro duction of gamma-aminobutyric acid from L-glutamic acid. A pathogenic role for this enzyme has been identified in the human pancreas since it has been identified as an autoantibody and an aut oreactive T cell target in insulin-dependent diabetes. This gene may also play a role in the stiff ma n syndrome. Alternative splicing results in multiple transcript variants that encode the same protei n. [provided by RefSeq
Other Designations	Glutamate decarboxylase-2 (pancreas)|OTTHUMP00000019335|OTTHUMP00000019336|gluta mate decarboxylase 2|glutamate decarboxylase 2 (pancreatic islets and brain, 65kD)

Pathway

- Alanine
- beta-Alanine metabolism
- Butanoate metabolism

Copyright © 2023 Abnova Corporation. All Rights Reserved.

- Metabolic pathways
- Taurine and hypotaurine metabolism
- Type I diabetes mellitus

Disease

- Alcoholism
- Alzheimer disease
- Anorexia Nervosa
- Anxiety Disorders
- Attention Deficit Disorder with Hyperactivity
- Autistic Disorder
- Birth Weight
- Body Weight
- Bulimia
- Cardiovascular Diseases
- Cleft Lip
- Cleft Palate
- Cognition
- Depressive Disorder
- Diabetes Complications
- Diabetes Mellitus
- Disease Models
- Edema
- Genetic Predisposition to Disease
- Hyperandrogenism
- Hypercholesterolemia

Copyright © 2023 Abnova Corporation. All Rights Reserved.

- Hyperglycemia
- Insulin Resistance
- Mental Disorders
- Metabolic Syndrome X
- NARP
- Neoplasms
- Neurotic Disorders
- Obesity
- Osteoporosis
- Psychiatric Status Rating Scales
- Puberty
- Schizophrenia
- Schizophrenic Psychology
- Tobacco Use Disorder
- Weight Gain

Copyright © 2023 Abnova Corporation. All Rights Reserved.