


# CLDN4 polyclonal antibody

Catalog # PAB25629 Size 100 ug

### **Applications**



### Western Blot (Tissue lysate)

Western blot analysis of CLDN4 in human colon tissue with CLDN4 polyclonal antibody (Cat # PAB25629) at 1 ug/mL.

Specification	
Product Description	Rabbit polyclonal antibody raised against synthetic peptide of CLDN4.
Immunogen	A synthetic peptide corresponding to 17 amino acids at C-terminus of human CLDN4.
Host	Rabbit
Theoretical MW (kDa)	23
Reactivity	Human, Mouse, Rat
Specificity	At least four isoforms of CLAUDIN4 are known to exist; CLAUDIN4 antibody will detect all four isoforms.
Form	Liquid
Purification	Peptide affinity purification
Concentration	1 mg/mL
Isotype	lgG
Recommend Usage	Western Blot (1 ug/mL) The optimal working dilution should be determined by the end user.



#### **Product Information**

Storage Buffer	In PBS (0.05% sodium azide)
Storage Instruction	Store at 4°C for three months. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

### **Applications**

Western Blot (Tissue lysate)

Western blot analysis of CLDN4 in human colon tissue with CLDN4 polyclonal antibody (Cat # PAB25629) at 1 ug/mL.

Enzyme-linked Immunoabsorbent Assay

Gene Info — CLDN4	
Entrez GenelD	1364
Protein Accession#	NP_001296
Gene Name	CLDN4
Gene Alias	CPE-R, CPER, CPETR1, WBSCR8, hCPE-R
Gene Description	claudin 4
Omim ID	602909
Gene Ontology	<u>Hyperlink</u>
Gene Summary	This gene encodes an integral membrane protein, which belongs to the claudin family. The protein is a component of tight junction strands and may play a role in internal organ development and function during pre- and postnatal life. This gene is deleted in Williams-Beuren syndrome, a neurode velopmental disorder affecting multiple systems. [provided by RefSeq
Other Designations	Clostridium perfringens enterotoxin receptor 1 Williams-Beuren syndrome chromosomal region 8 protein

## Pathway

• Cell adhesion molecules (CAMs)



- Leukocyte transendothelial migration
- Tight junction