
FFAR2 polyclonal antibody

Catalog # PAB26348 Size 50 ug

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) of human spleen (A) and human skeletal muscle (B) tissue with FFAR2 polyclonal antibody (Cat # PAB26348). Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval.

Specification

Product Description	Rabbit polyclonal antibody raised against synthetic peptide of FFAR2.
Immunogen	A synthetic peptide corresponding to 17 amino acids at internal region of human FFAR2.
Host	Rabbit
Reactivity	Human
Specificity	BLAST analysis of the peptide immunogen showed no homology with other human proteins.
Form	Liquid
Purification	Immunoaffinity chromatography

Copyright © 2023 Abnova Corporation. All Rights Reserved.

Recommend Usage	Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (5 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (0.09% sodium azide)
Storage Instruction	Store at 4°C. For long term storage store at -80°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

  Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) of human spleen (A) and human skeletal muscle (B) tissue with FFAR2 polyclonal antibody (Cat # PAB26348). Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval.

Gene Info — FFAR2

Entrez GeneID	2867
Protein Accession#	O15552
Gene Name	FFAR2
Gene Alias	FFA2R, GPR43
Gene Description	free fatty acid receptor 2
Omim ID	603823
Gene Ontology	Hyperlink
Gene Summary	This gene encodes a member of the GP40 family of G protein-coupled receptors that are clustere d together on chromosome 19. The encoded protein is a receptor for short chain free fatty acids a nd may be involved in the inflammatory response and in regulating lipid plasma levels. [provided b y RefSeq
Other Designations	G protein-coupled receptor 43|free fatty acid activated receptor 2

Copyright © 2023 Abnova Corporation. All Rights Reserved.