


MET polyclonal antibody

Catalog # PAB26770 Size 100 ug

Applications



Western Blot (Cell lysate)

Western blot analysis of extracts from HepG2 cells using MET polyclonal antibody (Cat # PAB26770).

Specification

Product Description	Rabbit polyclonal antibody raised against synthetic peptide of MET.
Immunogen	A synthetic peptide corresponding to residues surrounding Y1349 of human MET.
Sequence	E-H-Yp-V-H
Host	Rabbit
Reactivity	Human, Mouse, Rat
Form	Liquid
Purification	Affinity chromatography
Concentration	1 mg/mL
Recommend Usage	Western Blot (1:500-1:1000) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, 150 mM NaCl, pH 7.4 (50% glycerol, 0.02% sodium azide)

Storage Instruction

Store at -20°C.
Aliquot to avoid repeated freezing and thawing.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Cell lysate)

Western blot analysis of extracts from HepG2 cells using MET polyclonal antibody (Cat # PAB26770).

Gene Info — MET

Entrez GeneID[4233](#)**Protein Accession#**[P08581](#)**Gene Name**

MET

Gene Alias

AUTS9, HGFR, RCCP2, c-Met

Gene Description

met proto-oncogene (hepatocyte growth factor receptor)

Omim ID[114550](#) [164860](#) [605074](#) [611015](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

The proto-oncogene MET product is the hepatocyte growth factor receptor and encodes tyrosine-kinase activity. The primary single chain precursor protein is post-translationally cleaved to produce the alpha and beta subunits, which are disulfide linked to form the mature receptor. Various mutations in the MET gene are associated with papillary renal carcinoma. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq]

Other Designations

HGF receptor|OTTHUMP00000069168|SF receptor|met proto-oncogene|met proto-oncogene tyrosine kinase|oncogene MET|scatter factor receptor

Pathway

- [Adherens junction](#)
- [Axon guidance](#)
- [Colorectal cancer](#)

- [Cytokine-cytokine receptor interaction](#)
- [Endocytosis](#)
- [Epithelial cell signaling in Helicobacter pylori infection](#)
- [Focal adhesion](#)
- [Melanoma](#)
- [Pathways in cancer](#)
- [Renal cell carcinoma](#)

Disease

- [Adenocarcinoma](#)
- [Autistic Disorder](#)
- [Carcinoma](#)
- [Cell Transformation](#)
- [Child Development Disorders](#)
- [Chronic Disease](#)
- [Cognition Disorders](#)
- [Disease Progression](#)
- [Gastrointestinal Diseases](#)
- [Genetic Predisposition to Disease](#)
- [Head and Neck Neoplasms](#)
- [Hyperparathyroidism](#)
- [Lung Neoplasms](#)
- [Myopia](#)
- [Nasal Polyps](#)
- [Neoplasm Metastasis](#)

- [Neoplasms](#)
- [Neuropsychological Tests](#)
- [Pancreatic cancer](#)
- [Pancreatic Neoplasms](#)
- [Pulmonary Disease](#)
- [Refractive Errors](#)
- [Rhinitis](#)
- [Schizophrenia](#)
- [Sinusitis](#)
- [Skin Neoplasms](#)
- [Urinary Bladder Neoplasms](#)
- [Werner syndrome](#)