


CAV1 polyclonal antibody

Catalog # PAB27028 Size 100 uL

Applications



Western Blot (Cell lysate)

Western blot analysis of CAV1 polyclonal antibody (Cat # PAB27028) in extracts from HUVEC cells.

Specification

Product Description	Rabbit polyclonal antibody raised against synthetic peptide of CAV1.
Immunogen	A synthetic peptide corresponding to human CAV1.
Host	Rabbit
Theoretical MW (kDa)	25
Reactivity	Human, Mouse, Rat
Specificity	CAV1 polyclonal antibody detects endogenous levels of CAV1 protein.
Form	Liquid
Purification	Antigen affinity purification
Concentration	1 mg/mL
Recommend Usage	Western Blot (1:500-1:1000) Immunofluorescence (1:50-1:200) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.2 (0.05% sodium azide)

Storage Instruction

Store at 4°C. For long term storage store at -20°C.
Aliquot to avoid repeated freezing and thawing.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Cell lysate)

Western blot analysis of CAV1 polyclonal antibody (Cat # PAB27028) in extracts from HUVEC cells.

- Immunofluorescence

- Enzyme-linked Immunoabsorbent Assay

Gene Info — CAV1

Entrez GeneID[857](#)**Protein Accession#**[Q03135](#)**Gene Name**

CAV1

Gene Alias

BSCL3, CAV, CGL3, MSTP085, VIP21

Gene Description

caveolin 1, caveolae protein, 22kDa

Omim ID[601047](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

The scaffolding protein encoded by this gene is the main component of the caveolae plasma membranes found in most cell types. The protein links integrin subunits to the tyrosine kinase FYN, an initiating step in coupling integrins to the Ras-ERK pathway and promoting cell cycle progression. The gene is a tumor suppressor gene candidate and a negative regulator of the Ras-p42/44 MAP kinase cascade. CAV1 and CAV2 are located next to each other on chromosome 7 and express colocalizing proteins that form a stable hetero-oligomeric complex. By using alternative initiation codons in the same reading frame, two isoforms (alpha and beta) are encoded by a single transcript from this gene. [provided by RefSeq]

Other Designations

OTTHUMP00000025031|caveolae protein, 22-kD|caveolin 1|caveolin 1 caveolae protein, 22kD|caveolin 1, alpha isoform|caveolin 1, beta isoform|caveolin-1 beta isoform protein|cell growth-inhibiting protein 32

Pathway

- [Focal adhesion](#)

Disease

- [Alzheimer disease](#)
- [Amyotrophic lateral sclerosis](#)
- [Anoxia](#)
- [Arrhythmias](#)
- [Atherosclerosis](#)
- [Atrial Fibrillation](#)
- [Atrioventricular Block](#)
- [Breast Neoplasms](#)
- [Calcinosis](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Colorectal Neoplasms](#)
- [Coronary Artery Disease](#)
- [Diabetes Mellitus](#)
- [Edema](#)
- [Fibrosis](#)
- [Genetic Predisposition to Disease](#)
- [Glaucoma](#)
- [Head and Neck Neoplasms](#)
- [Hypertension](#)
- [Liver Cirrhosis](#)
- [Lung Neoplasms](#)

- [Metabolic Syndrome X](#)
- [Multiple Sclerosis](#)
- [Neoplasm Recurrence](#)
- [Neoplasms](#)
- [Prostate cancer](#)
- [Prostatic Neoplasms](#)
- [Pulmonary Disease](#)
- [Sick Sinus Syndrome](#)
- [Thrombosis](#)
- [Urinary Bladder Neoplasms](#)
- [Werner syndrome](#)