


# HCCA2 polyclonal antibody

Catalog # PAB27596

Size 100 ug

## Applications



### Western Blot (Cell lysate)

HCCA2 polyclonal antibody (Cat # PAB27596) (0.02ug/ml) staining of Jurkat lysate (35ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

## Specification

<b>Product Description</b>	Goat polyclonal antibody raised against synthetic peptide of HCCA2.
<b>Immunogen</b>	A synthetic peptide corresponding to amino acids 128-140 at internal region of human HCCA2.
<b>Sequence</b>	DERGKKVKCTAPQ
<b>Host</b>	Goat
<b>Theoretical MW (kDa)</b>	30
<b>Reactivity</b>	Chicken, Dog, Human, Mouse, Rat
<b>Purification</b>	Antigen affinity purification
<b>Concentration</b>	0.5 mg/mL
<b>Recommend Usage</b>	ELISA (1:128000) Western Blot (0.02-0.06ug/ml) The optimal working dilution should be determined by the end user.
<b>Storage Buffer</b>	In Tris saline, pH 7.3 (0.02% sodium azide, 0.5% BSA)

**Storage Instruction**

Store at -20°C.  
Aliquot to avoid repeated freezing and thawing.

**Note**

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

## Applications

- Western Blot (Cell lysate)

HCCA2 polyclonal antibody (Cat # PAB27596) (0.02ug/ml) staining of Jurkat lysate (35ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

## Gene Info — HCCA2

**Entrez GeneID**[81532](#)**Protein Accession#**[NP\\_001165694.1;NP\\_443731.2](#)**Gene Name**

HCCA2

**Gene Alias**

MOB2

**Gene Description**

HCCA2 protein

**Gene Ontology**[Hyperlink](#)**Other Designations**

-

## Disease

- [Tobacco Use Disorder](#)