


DKK1 polyclonal antibody

Catalog # PAB27808

Size 50 ug

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) of human uterus, endometrium with DKK1 polyclonal antibody (Cat # PAB27808). Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval.

Specification

Product Description	Rabbit polyclonal antibody raised against synthetic peptide of DKK1.
Immunogen	A synthetic peptide corresponding to 16 amino acid at internal region of human DKK1.
Host	Rabbit
Reactivity	Horse, Human, Monkey, Pig
Specificity	BLAST analysis of the peptide immunogen showed no homology with other human proteins.
Form	Liquid
Purification	Immunoaffinity chromatography
Recommend Usage	Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (10 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (0.09% sodium azide)
Storage Instruction	Store at 4°C. For long term storage store at -80°C. Aliquot to avoid repeated freezing and thawing.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) of human uterus, endometrium with DKK1 polyclonal antibody (Cat # PAB27808). Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval.

Gene Info — DKK1

Entrez GeneID [22943](#)

Protein Accession# [O94907](#)

Gene Name DKK1

Gene Alias DKK-1, SK

Gene Description dickkopf homolog 1 (Xenopus laevis)

Omim ID [605189](#)

Gene Ontology [Hyperlink](#)

Gene Summary This gene encodes a protein that is a member of the dickkopf family. It is a secreted protein with two cysteine rich regions and is involved in embryonic development through its inhibition of the WNT signaling pathway. Elevated levels of DKK1 in bone marrow plasma and peripheral blood is associated with the presence of osteolytic bone lesions in patients with multiple myeloma. [provided by RefSeq]

Other Designations OTTHUMP00000019617|dickkopf homolog 1|dickkopf related protein-1|dickkopf-1 like

Pathway

- [Wnt signaling pathway](#)

Disease

- [Alzheimer disease](#)

- [Asthma](#)
- [Cleft Lip](#)
- [Cleft Palate](#)
- [Genetic Predisposition to Disease](#)
- [Hip Fractures](#)
- [Kidney Failure](#)
- [Liver Diseases](#)
- [Ovarian Neoplasms](#)
- [Schizophrenia](#)
- [Spinal Fractures](#)