


# FGFR2 polyclonal antibody


Catalog # PAB29563      Size 100 uL

## Applications



### Western Blot

Western blot analysis of Lane 1: RT-4 cells, Lane 2: U-251MG sp cells, Lane 3: Human plasma (IgG/HSA depleted) with FGFR2 polyclonal antibody (Cat # PAB29563).



### Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human stomach shows strong cytoplasmic positivity in parietal cells with FGFR2 polyclonal antibody (Cat # PAB29563).

## Specification

|                            |                                                                                       |
|----------------------------|---------------------------------------------------------------------------------------|
| <b>Product Description</b> | Rabbit polyclonal antibody raised against partial recombinant human FGFR2.            |
| <b>Immunogen</b>           | Recombinant protein corresponding to amino acids 38-122 of human FGFR2.               |
| <b>Sequence</b>            | PPTKYQISQPEVYVAAPGESLEVRCLLKDAAVISWTKDGVHLGPNNRTVLIGEYLQIKGATPRDSGLYACTASRTVDSETWYFMV |
| <b>Host</b>                | Rabbit                                                                                |
| <b>Reactivity</b>          | Human                                                                                 |

|                     |                                                                                                                                                                                       |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Form                | Liquid                                                                                                                                                                                |
| Purification        | Antigen affinity purification                                                                                                                                                         |
| Isotype             | IgG                                                                                                                                                                                   |
| Recommend Usage     | Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (1:50-1:200)<br>Western Blot (1:100-1:250)<br>The optimal working dilution should be determined by the end user. |
| Storage Buffer      | In PBS, pH 7.2 (40% glycerol, 0.02% sodium azide)                                                                                                                                     |
| Storage Instruction | Store at 4°C. For long term storage store at -20°C.<br>Aliquot to avoid repeated freezing and thawing.                                                                                |
| Note                | This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.                                                                |

## Applications

- Western Blot

Western blot analysis of Lane 1: RT-4 cells, Lane 2: U-251MG sp cells, Lane 3: Human plasma (IgG/HSA depleted) with FGFR2 polyclonal antibody (Cat # PAB29563).

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human stomach shows strong cytoplasmic positivity in parietal cells with FGFR2 polyclonal antibody (Cat # PAB29563).

## Gene Info — FGFR2

|                    |                                                                                                                                                                                                                                       |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Entrez GeneID      | <a href="#">2263</a>                                                                                                                                                                                                                  |
| Protein Accession# | <a href="#">P21802</a>                                                                                                                                                                                                                |
| Gene Name          | FGFR2                                                                                                                                                                                                                                 |
| Gene Alias         | BEK, BFR-1, CD332, CEK3, CFD1, ECT1, FLJ98662, JWS, K-SAM, KGFR, TK14, TK25                                                                                                                                                           |
| Gene Description   | fibroblast growth factor receptor 2                                                                                                                                                                                                   |
| Omim ID            | <a href="#">101200</a> <a href="#">101400</a> <a href="#">101600</a> <a href="#">123150</a> <a href="#">123500</a> <a href="#">123790</a> <a href="#">137215</a> <a href="#">149730</a> <a href="#">176943</a> <a href="#">207410</a> |
| Gene Ontology      | <a href="#">Hyperlink</a>                                                                                                                                                                                                             |

**Gene Summary**

The protein encoded by this gene is a member of the fibroblast growth factor receptor family, where amino acid sequence is highly conserved between members and throughout evolution. FGFR family members differ from one another in their ligand affinities and tissue distribution. A full-length representative protein consists of an extracellular region, composed of three immunoglobulin-like domains, a single hydrophobic membrane-spanning segment and a cytoplasmic tyrosine kinase domain. The extracellular portion of the protein interacts with fibroblast growth factors, setting in motion a cascade of downstream signals, ultimately influencing mitogenesis and differentiation. This particular family member is a high-affinity receptor for acidic, basic and/or keratinocyte growth factor, depending on the isoform. Mutations in this gene are associated with Crouzon syndrome, Pfeiffer syndrome, Craniosynostosis, Apert syndrome, Jackson-Weiss syndrome, Beare-Stevenson cutis gyrata syndrome, Saethre-Chotzen syndrome, and syndromic craniosynostosis. Multiple alternatively spliced transcript variants encoding different isoforms have been noted for this gene. [provided by RefSeq]

**Other Designations**

BEK fibroblast growth factor receptor|FGF receptor|OTTHUMP00000020621|OTTHUMP00000020629|bacteria-expressed kinase|hydroxyaryl-protein kinase|keratinocyte growth factor receptor|protein tyrosine kinase, receptor like 14|soluble FGFR4 variant 4

**Pathway**

- [Endocytosis](#)
- [MAPK signaling pathway](#)
- [Pathways in cancer](#)
- [Prostate cancer](#)
- [Regulation of actin cytoskeleton](#)

**Disease**

- [Acrocephalosyndactylia](#)
- [Adenocarcinoma](#)
- [Alzheimer disease](#)
- [Birth Weight](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Bronchial Hyperreactivity](#)
- [Carcinoma](#)

- [Cardiovascular Diseases](#)
- [Cleft Lip](#)
- [Cleft Palate](#)
- [Craniofacial Dysostosis](#)
- [Craniosynostoses](#)
- [Cystadenocarcinoma](#)
- [Depressive Disorder](#)
- [Diabetes Complications](#)
- [Disease Susceptibility](#)
- [Endometrial Neoplasms](#)
- [Endometriosis](#)
- [Genetic Predisposition to Disease](#)
- [Hypersensitivity](#)
- [Hypospadias](#)
- [Lymphatic Metastasis](#)
- [Malignant melanoma](#)
- [Melanoma](#)
- [Metabolic Syndrome X](#)
- [Neoplasm Invasiveness](#)
- [Neoplasms](#)
- [Osteoporosis](#)
- [Ovarian cancer](#)
- [Ovarian Neoplasms](#)
- [Pancreatic cancer](#)
- [Pancreatic Neoplasms](#)
- [Schizophrenia](#)

- [Skin Neoplasms](#)
- [Sleep Apnea](#)
- [Tobacco Use Disorder](#)