


ACAT2 polyclonal antibody


Catalog # PAB31547 Size 100 uL

Applications



Western Blot

Western Blot analysis of Lane 1: RT-4 cell, Lane 2: U-251 MG sp cell, Lane 3: human plasma tissue (IgG/HSA depleted), Lane 4: human liver tissue and Lane 5: human tonsil tissue lysates with ACAT2 polyclonal antibody (Cat # PAB31547).



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human testis with ACAT2 polyclonal antibody (Cat # PAB31547) shows strong cytoplasmic positivity in Leydig cells.

Specification

Product Description	Rabbit polyclonal antibody raised against partial recombinant human ACAT2.
Immunogen	Recombinant protein corresponding to human ACAT2.
Sequence	SIGIGDSSIVVAGGMENMSKAPHLAYLRTGVKIGEMPLTDSILCDGLTDAFHNCHMGITAENVAKK WQVSREDQDKVAVLS
Host	Rabbit
Reactivity	Human

Form	Liquid
Purification	Antigen affinity purification
Isotype	IgG
Recommend Usage	Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (1:50-1:200) Western Blot (1:100-1:250) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.2 (40% glycerol, 0.02% sodium azide).
Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot

Western Blot analysis of Lane 1: RT-4 cell, Lane 2: U-251 MG sp cell, Lane 3: human plasma tissue (IgG/HSA depleted), Lane 4: human liver tissue and Lane 5: human tonsil tissue lysates with ACAT2 polyclonal antibody (Cat # PAB31547).

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human testis with ACAT2 polyclonal antibody (Cat # PAB31547) shows strong cytoplasmic positivity in Leydig cells.

Gene Info — ACAT2

Entrez GeneID	39
Protein Accession#	Q9BWD1
Gene Name	ACAT2
Gene Alias	-
Gene Description	acetyl-Coenzyme A acetyltransferase 2
Omim ID	100678
Gene Ontology	Hyperlink

Gene Summary

The product of this gene is an enzyme involved in lipid metabolism, and it encodes cytosolic acetoacetyl-CoA thiolase. This gene shows complementary overlapping with the 3-prime region of the TCP1 gene in both mouse and human. These genes are encoded on opposite strands of DNA, as well as in opposite transcriptional orientation. [provided by RefSeq]

Other Designations

OTTHUMP00000017527|acetoacetyl Coenzyme A thiolase|cytosolic acetoacetyl-CoA thiolase

Pathway

- [Benzoate degradation via CoA ligation](#)
- [Butanoate metabolism](#)
- [Fatty acid metabolism](#)
- [Lysine degradation](#)
- [Metabolic pathways](#)
- [Propanoate metabolism](#)
- [Pyruvate metabolism](#)
- [Synthesis and degradation of ketone bodies](#)
- [Terpenoid backbone biosynthesis](#)
- [Tryptophan metabolism](#)
- [Valine](#)

Disease

- [Alzheimer Disease](#)
- [Atherosclerosis](#)
- [Cardiovascular Diseases](#)
- [Chronic Disease](#)
- [Coronary Artery Disease](#)
- [Coronary Disease](#)
- [Dementia](#)

- [Diabetes Mellitus](#)
- [Drug Toxicity](#)
- [Dyslipidemias](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Hypercholesterolemia](#)
- [Hyperlipidemias](#)
- [Hypertension](#)
- [Kidney Diseases](#)
- [Metabolic Diseases](#)
- [Metabolic Syndrome X](#)
- [Obesity](#)
- [Werner syndrome](#)