


ACE2 polyclonal antibody


Catalog # PAB31736 Size 100 uL

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of human thyroid carcinoma.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of human brain.

Specification

Product Description	Rabbit polyclonal antibody raised against partial recombinant human ACE2.
Immunogen	Recombinant protein corresponding to residues at internal region of human ACE2.
Host	Rabbit
Reactivity	Human
Specificity	This antibody detects endogenous levels of total ACE2 protein.
Form	Liquid
Purification	Antigen affinity purification

Recommend Usage	Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (1:25-1:100) Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (1:25-1:100) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH7.3 (50% Glycerol, 0.05% sodium azide).
Storage Instruction	Store at -20°C is stable for one year. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)
Immunohistochemical staining of human thyroid carcinoma.
- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)
Immunohistochemical staining of human brain.

Gene Info — ACE2

Entrez GeneID	59272
Protein Accession#	Q9BYF1
Gene Name	ACE2
Gene Alias	ACEH, DKFZp434A014
Gene Description	angiotensin I converting enzyme (peptidyl-dipeptidase A) 2
Omim ID	300335
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene belongs to the angiotensin-converting enzyme family of dipeptidyl carboxydipeptidases and has considerable homology to human angiotensin 1 converting enzyme. This secreted protein catalyzes the cleavage of angiotensin I into angiotensin 1-9, and angiotensin II into the vasodilator angiotensin 1-7. The organ- and cell-specific expression of this gene suggests that it may play a role in the regulation of cardiovascular and renal function, as well as fertility. In addition, the encoded protein is a functional receptor for the spike glycoprotein of the human coronaviruses SARS and HCoV-NL63. [provided by RefSeq]

Other Designations

ACE-related carboxypeptidase|OTTHUMP00000022963|angiotensin I converting enzyme 2|angiotensin converting enzyme-like protein

Pathway

- [Renin-angiotensin system](#)

Disease

- [Arrhythmias](#)
- [Atrial Fibrillation](#)
- [Cardiomyopathy](#)
- [Cardiovascular Diseases](#)
- [Coronary Disease](#)
- [Death](#)
- [Diabetes Mellitus](#)
- [Diabetic Nephropathies](#)
- [Disease Progression](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Hypertension](#)
- [Hypertrophy](#)
- [Hypotension](#)
- [Intracranial Aneurysm](#)
- [Malaria](#)
- [Metabolic Syndrome X](#)
- [Sarcoidosis](#)