


SNAP25 polyclonal antibody

Catalog # PAB6782

Size 100 ug

Applications



Western Blot (Tissue lysate)

SNAP25 polyclonal antibody (Cat # PAB6782) (0.03 ug/mL) staining of Mouse brain lysate (35 ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

Specification

Product Description	Goat polyclonal antibody raised against synthetic peptide of SNAP25.
Immunogen	A synthetic peptide corresponding to human SNAP25.
Sequence	C-DEANQRATKMLGSG
Host	Goat
Theoretical MW (kDa)	23.3, 23.3
Reactivity	Human, Mouse
Specificity	This antibody is expected to recognize both reported isoforms NP_003072 and NP_570824.
Form	Liquid
Purification	Antigen affinity purification
Concentration	0.5 mg/mL
Quality Control Testing	Antibody Reactive Against Synthetic Peptide.

Recommend Usage	ELISA (1:32000) Western blot (0.01-0.03 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In Tris saline, pH 7.3 (0.5% BSA, 0.02% sodium azide)
Storage Instruction	Store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Tissue lysate)

SNAP25 polyclonal antibody (Cat # PAB6782) (0.03 ug/mL) staining of Mouse brain lysate (35 ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

- Enzyme-linked Immunoabsorbent Assay

Gene Info — SNAP25

Entrez GeneID	6616
Protein Accession#	NP_003072.2;NP_570824.1
Gene Name	SNAP25
Gene Alias	FLJ23079, RIC-4, RIC4, SEC9, SNAP, SNAP-25, bA416N4.2, dJ1068F16.2
Gene Description	synaptosomal-associated protein, 25kDa
Omim ID	600322
Gene Ontology	Hyperlink
Gene Summary	Synaptic vesicle membrane docking and fusion is mediated by SNAREs (soluble N-ethylmaleimide-sensitive factor attachment protein receptors) located on the vesicle membrane (v-SNAREs) and the target membrane (t-SNAREs). The assembled v-SNARE/t-SNARE complex consists of a bundle of four helices, one of which is supplied by v-SNARE and the other three by t-SNARE. For t-SNAREs on the plasma membrane, the protein syntaxin supplies one helix and the protein encoded by this gene contributes the other two. Therefore, this gene product is a presynaptic plasma membrane protein involved in the regulation of neurotransmitter release. Two alternative transcript variants encoding different protein isoforms have been described for this gene. [provided by RefSeq]

Other Designations

OTTHUMP00000030267|OTTHUMP00000030268|resistance to inhibitors of cholinesterase 4 homolog|synaptosomal-associated protein 25

Publication Reference

- [Attention-deficit hyperactivity disorder \(ADHD\).](#)

Voeller KK.

Journal of Child Neurology 2004 Oct; 19(10):798.

Pathway

- [SNARE interactions in vesicular transport](#)

Disease

- [Alzheimer disease](#)
- [Attention](#)
- [Attention Deficit Disorder with Hyperactivity](#)
- [Autistic Disorder](#)
- [Bipolar Disorder](#)
- [Cardiovascular Diseases](#)
- [Cognition](#)
- [Cognition Disorders](#)
- [Depressive Disorder](#)
- [Diabetes Complications](#)
- [Epilepsy](#)
- [Genetic Predisposition to Disease](#)
- [Memory](#)
- [Mental Disorders](#)

- [Mental Retardation](#)
- [Metabolic Syndrome X](#)
- [Narcolepsy](#)
- [NARP](#)
- [Neoplasms](#)
- [Neuropsychological Tests](#)
- [Obsessive-Compulsive Disorder](#)
- [Osteoporosis](#)
- [Personality Assessment](#)
- [Psychiatric Status Rating Scales](#)
- [Psychotic Disorders](#)
- [Reaction Time](#)
- [Schizophrenia](#)
- [Schizophrenic Psychology](#)
- [Tobacco Use Disorder](#)
- [Verbal Learning](#)
- [Weight Gain](#)