


APOA4 polyclonal antibody

Catalog # PAB7184 Size 100 ug

Applications



Western Blot (Tissue lysate)

APOA4 polyclonal antibody (Cat # PAB7184) (0.01 ug/mL) staining of human duodenum lysate (35 ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

Specification

Product Description Goat polyclonal antibody raised against synthetic peptide of APOA4.

Immunogen A synthetic peptide corresponding to human APOA4.

Sequence C-KEKESQDKTSLP

Host Goat

Theoretical MW (kDa) 45.4

Reactivity Human

Form Liquid

Purification Antigen affinity purification

Concentration 0.5 mg/mL

Quality Control Testing Antibody Reactive Against Synthetic Peptide.

Recommend Usage
ELISA (1:32000)
Western Blot (0.01-0.03 ug/mL)
The optimal working dilution should be determined by the end user.

Storage Buffer	In Tris saline, pH 7.3 (0.5% BSA, 0.02% sodium azide)
Storage Instruction	Store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Tissue lysate)

APOA4 polyclonal antibody (Cat # PAB7184) (0.01 ug/mL) staining of human duodenum lysate (35 ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

- Enzyme-linked Immunoabsorbent Assay

Gene Info — APOA4

Entrez GeneID	337
Protein Accession#	NP_000473.2
Gene Name	APOA4
Gene Alias	MGC142154, MGC142156
Gene Description	apolipoprotein A-IV
Omim ID	107690
Gene Ontology	Hyperlink
Gene Summary	Apolipoprotein (apo) A-IV gene contains 3 exons separated by two introns. A sequence polymorphism has been identified in the 3'UTR of the third exon. The primary translation product is a 396-residue preprotein which after proteolytic processing is secreted its primary site of synthesis, the intestine, in association with chylomicron particles. Although its precise function is not known, apo A-IV is a potent activator of lecithin-cholesterol acyltransferase in vitro. [provided by RefSeq]
Other Designations	-

Publication Reference

- [Apolipoprotein A-IV attenuates oxidant-induced apoptosis in mitotic competent, undifferentiated cells by modulating intracellular glutathione redox balance.](#)

Spaulding HL, Saijo F, Turnage RH, Alexander JS, Aw TY, Kalogeris TJ.

American Journal of Physiology. Cell Physiology 2006 Jan; 290(1):C95.

Application: Treated, Recombinant protein

Disease

- [Amyotrophic lateral sclerosis](#)
- [Arteriosclerosis](#)
- [Atherosclerosis](#)
- [Brain Ischemia](#)
- [Calcinosis](#)
- [Cardiovascular Diseases](#)
- [Carotid Artery Diseases](#)
- [Cerebrovascular Disorders](#)
- [Constriction](#)
- [Coronary Artery Disease](#)
- [Coronary Disease](#)
- [Depressive Disorder](#)
- [Diabetes Mellitus](#)
- [Diabetic Angiopathies](#)
- [Disease Progression](#)
- [Diseases in Twins](#)
- [Drug Toxicity](#)
- [Ductus Arteriosus](#)
- [Edema](#)
- [Gallstones](#)

- [Genetic Predisposition to Disease](#)
- [Hypercholesterolemia](#)
- [Hyperlipidemia](#)
- [Hyperlipidemias](#)
- [Hyperlipoproteinemia Type II](#)
- [Hyperlipoproteinemia Type IV](#)
- [Hypertension](#)
- [Hypertriglyceridemia](#)
- [Hyperuricemia](#)
- [Infant](#)
- [Inflammation](#)
- [Insulin Resistance](#)
- [Lung Neoplasms](#)
- [Lymphoma](#)
- [Metabolic Syndrome X](#)
- [Myocardial Infarction](#)
- [Obesity](#)
- [Obstetric Labor](#)
- [Osteoporosis](#)
- [Pulmonary Disease](#)
- [Pulmonary Embolism](#)
- [Recurrence](#)
- [Stroke](#)
- [Thromboembolism](#)
- [Thrombophilia](#)
- [Thrombosis](#)

- [Urinary Bladder Neoplasms](#)
- [Venous Thrombosis](#)
- [Werner syndrome](#)