

AGAP2 polyclonal antibody

Catalog # PAB9929 Size 100 ug

Applications



Western Blot (Transfected lysate)

Western blot using AGAP2 polyclonal antibody (Cat # PAB9929) shows detection of AGAP2 recombinant protein in transfected HEK293 cell lysates. No specific band staining is noted in mocktransfected cell lysates (empty vector).

The membrane was probed with the primary antibody diluted to 1 : 10,000. Personal Communication, Paul Randazzo, CCR-NCI, Bethesda, MD.

Specification	
Product Description	Rabbit polyclonal antibody raised against partial recombinant AGAP2.
lmmunogen	Recombinant protein corresponding to amino acids 1-836 of human AGAP2.
Host	Rabbit
Reactivity	Human, Mouse, Rat
Form	Lyophilized
Quality Control Testing	Antibody Reactive Against Recombinant Protein.
Recommend Usage	ELISA (1:40000-1:200000) Western Blot (1:5000-1:20000) The optimal working dilution should be determined by the end user.
Storage Buffer	Lyophilized from 20 mM KH ₂ PO ₄ , 150 mM NaCl, pH 7.2 (0.01% sodium azide)
Storage Instruction	Store at 4°C on dry atmosphere. After reconstitution with 0.1 mL of deionized water, store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.



Product Information

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

Western Blot (Transfected lysate)

Western blot using AGAP2 polyclonal antibody (Cat # PAB9929) shows detection of AGAP2 recombinant protein in transfected HEK293 cell lysates.

No specific band staining is noted in mocktransfected cell lysates (empty vector).

The membrane was probed with the primary antibody diluted to 1:10,000.

Personal Communication, Paul Randazzo, CCR-NCI, Bethesda, MD.

Enzyme-linked Immunoabsorbent Assay

Gene Info — AGAP2	
Entrez GeneID	<u>116986</u>
Protein Accession#	NP_055585;Q99490
Gene Name	AGAP2
Gene Alias	CENTG1, FLJ16430, GGAP2, KIAA0167, PIKE
Gene Description	ArfGAP with GTPase domain, ankyrin repeat and PH domain 2
Omim ID	<u>605476</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	0
Other Designations	Arf GAP with GTP-binding protein-like, ANK repeat and PH domains 2 GTP-binding and GTPase activating protein 2 centaurin, gamma 1 phosphoinositide 3-kinase enhancer

Publication Reference

• The Arf GAPs AGAP1 and AGAP2 distinguish between the adaptor protein complexes AP-1 and AP-3.

Nie Z, Fei J, Premont RT, Randazzo PA.

Journal of Cell Science 2005 Aug; 118(Pt 15):3555.

Application: WB, Human, A-549, AGS, HepG2, Mel14, SKOV3, SUM149, U87, VW373 cells



PIKE-A is amplified in human cancers and prevents apoptosis by up-regulating Akt.

Ahn JY, Hu Y, Kroll TG, Allard P, Ye K.

PNAS 2004 May; 101(18):6993.

Application: WB, Human, CRL-2061, LN229, LN-Z308, NGP127, SF188, TP366, U87MG cells

• GGAPs, a new family of bifunctional GTP-binding and GTPase-activating proteins.

Xia C, Ma W, Stafford LJ, Liu C, Gong L, Martin JF, Liu M.

Molecular and Cellular Biology 2003 Apr; 23(7):2476.

Pathway

Endocytosis

Disease

- Disease Progression
- Disease Susceptibility
- HIV Infections