


RecomAb™

## CHGA recombinant monoclonal antibody, clone rCHGA/798

Catalog # RAB00471 Size 100 ug

## **Applications**



# Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human pancreas with CHGA recombinant monoclonal antibody, clone rCHGA/798 (Cat # RAB00471).

| Specification        |  |
|----------------------|--|
| Product Description  | Mouse recombinant monoclonal antibody raised against full length recombinant human CHGA.   |
| Antibody Species     | Mouse  |
| Immunogen            | Original antibody is raised against recombinant protein corresponding to full length human CHGA.   |
| Theoretical MW (kDa) | 68-75  |
| Reactivity           | Human  |
| Form                 | Liquid   |
| Purification         | Protein A/G purification   |
| Isotype              | lgG1, kappa  |
| Recommend Usage      | Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (0.25-0.5 ug/mL) The optimal working dilution should be determined by the end user. |
| Storage Buffer       | In 10 mM PBS (0.05% BSA, 0.05% sodium azide)   |
| Storage Instruction  | Store at 4°C.  |



### **Product Information**

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

## **Applications**

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human pancreas with CHGA recombinant monoclonal antibody, clone rCHGA/798 (Cat # RAB00471).

| Gene Info — CHGA   |   |
|--------------------|---|
| Entrez GenelD      | 1113  |
| Protein Accession# | P10645  |
| Gene Name          | CHGA  |
| Gene Alias         | CGA   |
| Gene Description   | chromogranin A (parathyroid secretory protein 1)  |
| Omim ID            | 118910  |
| Gene Ontology      | <u>Hyperlink</u>  |
| Gene Summary       | The protein encoded by this gene is a member of the chromogranin/secretogranin family of neuro endocrine secretory proteins. It is found in secretory vesicles of neurons and endocrine cells. This gene product is a precursor to three biologically active peptides; vasostatin, pancreastatin, and p arastatin. These peptides act as autocrine or paracrine negative modulators of the neuroendocrin e system. Other peptides, including chromostatin, beta-granin, WE-14 and GE-25, are also derive d from the full-length protein. However, biological activities for these molecules have not been sho wn. [provided by RefSeq |
| Other Designations | betagranin (N-terminal fragment of chromogranin A) chromogranin A parathyroid secretory protein   |

#### Disease

- Genetic Predisposition to Disease
- Glomerulonephritis
- Hypertension



- Kidney Failure
- Prostatic Neoplasms
- Schizophrenia