


RecomAb™

SIRPA recombinant monoclonal antibody, clone R08-1G4

Catalog # RAB01362 Size 100 uL


Applications



Western Blot

Western Blot analysis of A549, MCF-7, 293T lysates with SIRPA recombinant monoclonal antibody, clone R08-1G4 (Cat # RAB01362).

Immunocytochemistry



Immunocytochemistry analysis of SIRP alpha (green) in hela cells using SIRP alpha antibody and DAPI (blue).

Specification

Product Description	Rabbit recombinant monoclonal antibody raised against human SIRPA.
Antibody Species	Rabbit
Immunogen	Original antibody is raised against recombinant protein corresponding to human SIRPA.
Theoretical MW (kDa)	Calculated MW: 55 kD

Reactivity	Human
Form	Liquid
Purification	Affinity purification
Isotype	IgG
Recommend Usage	Immunocytochemistry Immunofluorescence Western Blot The optimal working dilution should be determined by the end user.
Storage Buffer	In 50mM Tris-Glycine, pH 7.4, (0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA)
Storage Instruction	Store at 4°C. For longer storage, aliquot and store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot

Western Blot analysis of A549, MCF-7, 293T lysates with SIRPA recombinant monoclonal antibody, clone R08-1G4 (Cat # RAB01362).

- Immunocytochemistry

Immunocytochemistry analysis of SIRP alpha (green) in hela using SIRP alpha antibody, and DAPI(blue)

- Immunofluorescence

Gene Info — SIRPA

Entrez GeneID	140885
Protein Accession#	P78324
Gene Name	SIRPA
Gene Alias	BIT, CD172A, MFR, MYD-1, P84, PTPNS1, SHPS-1, SHPS1, SIRP, SIRP-ALPHA-1, SIRPalpha, SIRPalpha2
Gene Description	signal-regulatory protein alpha

Omim ID [602461](#)

Gene Ontology [Hyperlink](#)

Gene Summary

The protein encoded by this gene is a member of the signal-regulatory-protein (SIRP) family, and also belongs to the immunoglobulin superfamily. SIRP family members are receptor-type transmembrane glycoproteins known to be involved in the negative regulation of receptor tyrosine kinase-coupled signaling processes. This protein can be phosphorylated by tyrosine kinases. The phosphotyrosine residues of this PTP have been shown to recruit SH2 domain containing tyrosine phosphatases (PTP), and serve as substrates of PTPs. This protein was found to participate in signal transduction mediated by various growth factor receptors. CD47 has been demonstrated to be a ligand for this receptor protein. This gene and its product share very high similarity with several other members of the SIRP family. These related genes are located in close proximity to each other on chromosome 20p13. Multiple alternatively spliced transcript variants have been determined for this gene. [provided by RefSeq]

Other Designations

OTTHUMP00000030001|SHP substrate-1|brain-immunoglobulin-like molecule with tyrosine-based activation motifs|macrophage fusion receptor|myd-1 antigen|protein tyrosine phosphatase, non-receptor type substrate 1|signal regulatory protein, alpha type 1|signal