

#### RecomAb™

# PDCD6IP recombinant monoclonal antibody, clone R09-4B4

Catalog # RAB01619 Size 100 uL

# Applications



#### Western Blot

Western blot analysis of ALIX in HT-1080 lysates using ALIX in HT-1080 recombinant monoclonal antibody, clone R09-4B4 (Cat # RAB01619).

Specification	
Product Description	Rabbit recombinant monoclonal antibody raised against human ALIX.
Antibody Species	Rabbit
Immunogen	Original antibody is raised against recombinant protein corresponding to human ALIX
Theoretical MW (kDa)	Calculated MW: 96 kD
Reactivity	Human
Form	Liquid
Purification	Affinity purification
lsotype	lgG
Recommend Usage	Western Blot (1:500-1:1000) The optimal working dilution should be determined by the end user.
Storage Buffer	In 50 mM Tris-Glycine, pH 7.4 (0.15 M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA)



### **Product Information**

 

 Storage Instruction
 Store at 4°C for short term. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.

 Note
 This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

## Applications

#### • Western Blot

Western blot analysis of ALIX in HT-1080 lysates using ALIX in HT-1080 recombinant monoclonal antibody, clone R09-4B4 (Cat # RAB01619).

Gene Info — PDCD6IP	
Entrez GenelD	<u>10015</u>
Protein Accession#	<u>Q8WUM4</u>
Gene Name	PDCD6IP
Gene Alias	AIP1, Alix, DRIP4, HP95, MGC17003
Gene Description	programmed cell death 6 interacting protein
Omim ID	<u>608074</u>
Gene Ontology	Hyperlink
Gene Summary	This gene encodes a protein thought to participate in programmed cell death. Studies using mous e cells have shown that overexpression of this protein can block apoptosis. In addition, the produc t of this gene binds to the product of the PDCD6 gene, a protein required for apoptosis, in a calci um-dependent manner. This gene product also binds to endophilins, proteins that regulate membr ane shape during endocytosis. Overexpression of this gene product and endophilins results in cyt oplasmic vacuolization, which may be partly responsible for the protection against cell death. Sev eral alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq
Other Designations	ALG-2 interacting protein 1 ALG-2 interacting protein X apoptosis-linked gene 2-interacting protein N dopamine receptor interacting protein 4 programmed cell death 6-interacting protein

### Pathway

Endocytosis



### Disease

• Tobacco Use Disorder