
RecomAb™

F3 recombinant monoclonal antibody, clone R04-7G2


Catalog # RAB01809 Size 100 uL

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin/PFA-fixed paraffin-embedded sections) of human lung cancer with F3 recombinant monoclonal antibody, clone R04-7G2 (Cat # RAB01809). High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Western Blot

Western Blot analysis of mouse brain, rat brain lysates with F3 recombinant monoclonal antibody, clone R04-7G2 (Cat # RAB01809).

Specification

Product Description	Rabbit recombinant monoclonal antibody raised against human F3.
Antibody Species	Rabbit

Copyright © 2023 Abnova Corporation. All Rights Reserved.

Immunogen	Original antibody is raised against a synthetic peptide corresponding to human F3.
Theoretical MW (kDa)	Calculated MW: 33 kD
Reactivity	Human, Mouse, Rat
Form	Liquid
Preparation Method	Mammalian cell (CHO) expression system
Purification	Affinity purification
Isotype	IgG
Recommend Usage	Immunohistochemistry (1:50-1/100) Western Blot (1:500-1:1000) The optimal working dilution should be determined by the end user.
Storage Buffer	In 50 mM Tris-Glycine pH 7.4 (0.15 M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA).
Storage Instruction	Store at -20 °C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

  Immunohistochemical staining (Formalin/PFA-fixed paraffin-embedded sections) of human lung cancer with F3 recombinant monoclonal antibody, clone R04-7G2 (Cat # RAB01809). High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

- Western Blot

  Western Blot analysis of mouse brain, rat brain lysates with F3 recombinant monoclonal antibody, clone R04-7G2 (Cat # RAB01809).

Gene Info — F3

Entrez GeneID	2152
Protein Accession#	P13726
Gene Name	F3
Gene Alias	CD142, TF, TFA

Copyright © 2023 Abnova Corporation. All Rights Reserved.

Gene Description	coagulation factor III (thromboplastin, tissue factor)
Omim ID	134390
Gene Ontology	Hyperlink
Gene Summary	This gene encodes coagulation factor III which is a cell surface glycoprotein. This factor enables cells to initiate the blood coagulation cascades, and it functions as the high-affinity receptor for the coagulation factor VII. The resulting complex provides a catalytic event that is responsible for initiation of the coagulation protease cascades by specific limited proteolysis. Unlike the other cofactors of these protease cascades, which circulate as nonfunctional precursors, this factor is a potent initiator that is fully functional when expressed on cell surfaces. There are 3 distinct domains of this factor: extracellular, transmembrane, and cytoplasmic. This protein is the only one in the coagulation pathway for which a congenital deficiency has not been described. [provided by RefSeq
Other Designations	OTTHUMP00000012426|coagulation factor III|tissue factor

Pathway

- Complement and coagulation cascades

Disease

- Acute Disease
- Alzheimer disease
- Atherosclerosis
- Brain Ischemia
- Cardiovascular Diseases
- Carotid Stenosis
- Chorioamnionitis
- Coronary Thrombosis
- Diabetes Complications
- Diabetes Mellitus
- Edema
- Fetal Membranes

Copyright © 2023 Abnova Corporation. All Rights Reserved.

- Genetic Predisposition to Disease
- Hemorrhage
- Kidney Failure
- Metabolic Syndrome X
- Myocardial Ischemia
- Neoplasms
- Obstetric Labor
- Osteoporosis
- Postoperative Complications
- Pre-Eclampsia
- Premature Birth
- Renal Insufficiency
- Stroke
- Thrombosis
- Vascular Diseases
- Werner syndrome

Copyright © 2023 Abnova Corporation. All Rights Reserved.