RecomAb™

S100B recombinant monoclonal antibody, clone R01-1F9

Catalog # RAB01933 Size 100 uL

Applications



Western Blot

Western blot analysis of rat brain lysates with S100B recombinant monoclonal antibody, clone R01-1F9 (Cat # RAB01933).

Specification

Product Description	Rabbit recombinant monoclonal antibody raised against human S100B.
Antibody Species	Rabbit
Immunogen	Original antibody is raised against a synthetic peptide corresponding to human S100B.
Theoretical MW (kDa)	Calculated MW: 11 kD
Reactivity	Human, Rat
Form	Liquid
Preparation Method	Mammalian cell (CHO) expression system
Purification	Affinity purification
Isotype	IgG
Recommend Usage	Immunohistochemistry (1:50-1:100) Immunoprecipitation (1:20) Western Blot (1:500-1:1000) The optimal working dilution should be determined by the end user.

Copyright © 2023 Abnova Corporation. All Rights Reserved.

Storage Buffer	In 50 mM Tris-Glycine pH 7.4 (0.15 M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA).
Storage Instruction	Store at -20 °C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)
- Immunoprecipitation
- Western Blot

  Western blot analysis of rat brain lysates with S100B recombinant monoclonal antibody, clone R01-1F9 (Cat # RAB01933).

Gene Info — S100B

Entrez GeneID	6285
Protein Accession#	P04271
Gene Name	S100B
Gene Alias	NEF, S100, S100beta
Gene Description	S100 calcium binding protein B
Omim ID	176990
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene is a member of the S100 family of proteins containing 2 EF-han d calcium-binding motifs. S100 proteins are localized in the cytoplasm and/or nucleus of a wide ra nge of cells, and involved in the regulation of a number of cellular processes such as cell cycle pro gression and differentiation. S100 genes include at least 13 members which are located as a clus ter on chromosome 1q21; however, this gene is located at 21q22.3. This protein may function in Neurite extension, proliferation of melanoma cells, stimulation of Ca2+ fluxes, inhibition of PKC-m ediated phosphorylation, astrocytosis and axonal proliferation, and inhibition of microtubule asse mbly. Chromosomal rearrangements and altered expression of this gene have been implicated in several neurological, neoplastic, and other types of diseases, including Alzheimer's disease, Dow n's syndrome, epilepsy, amyotrophic lateral sclerosis, melanoma, and type I diabetes. [provided b y RefSeq

Copyright © 2023 Abnova Corporation. All Rights Reserved.

Other Designations	OTTHUMP00000174958|S-100 calcium-binding protein, beta chain|S100 beta|S100 calcium binding protein, beta (neural)|S100 calcium-binding protein, beta|S100 calcium-binding protein, beta (neural)

Disease

- Alzheimer disease
- Bipolar Disorder
- Cognition Disorders
- Dementia
- Depressive Disorder
- Diseases in Twins
- Genetic Predisposition to Disease
- Mental Disorders
- Neuropsychological Tests
- Psychotic Disorders
- Schizophrenia

Copyright © 2023 Abnova Corporation. All Rights Reserved.