

RecomAb™

# CDKN2C recombinant monoclonal antibody, clone R04-3C2


Catalog # RAB02037 Size 100 uL

## **Applications**



### Western Blot

Western blot analysis of C6 lysates with CDKN2C recombinant monoclonal antibody, clone R04-3C2 (Cat # RAB02037).



# Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections)

Immunohistochemical staining (Formalin/PFA-fixed paraffin-embedded sections) of human breast cancer with CDKN2C recombinant monoclonal antibody, clone R04-3C2 (Cat # RAB02037).

High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

Specification	
Product Description	Rabbit recombinant monoclonal antibody raised against human CDKN2C.
Antibody Species	Rabbit
lmmunogen	Original antibody is raised against recombinant protein corresponding to human CDKN2C.
Theoretical MW (kDa)	Calculated MW: 18 kD
Reactivity	Human, Mouse, Rat
Form	Liquid



### **Product Information**

Purification	Affinity purification
Isotype	lgG
Recommend Usage	Immunohistochemistry (1:50-1:100)
	Immunoprecipitation (1:20)
	Western Blot (1:500-1:1000)
	The optimal working dilution should be determined by the end user.
Storage Buffer	In 50 mM Tris-Glycine, pH 7.4 (0.15 M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA)
Storage Instruction	Store at -20 °C.
	Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul
	d be handled by trained staff only.

### **Applications**

Western Blot

Western blot analysis of C6 lysates with CDKN2C recombinant monoclonal antibody, clone R04-3C2 (Cat # RAB02037).

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin/PFA-fixed paraffin-embedded sections) of human breast cancer with CDKN2C recombinant monoclonal antibody, clone R04-3C2 (Cat # RAB02037).

High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

Immunoprecipitation

### Gene Info — CDKN2C

Entrez GeneID	1031
Protein Accession#	<u>P42773</u>
Gene Name	CDKN2C
Gene Alias	INK4C, p18, p18-INK4C
Gene Description	cyclin-dependent kinase inhibitor 2C (p18, inhibits CDK4)
Omim ID	603369
Gene Ontology	<u>Hyperlink</u>



### **Product Information**

#### **Gene Summary**

The protein encoded by this gene is a member of the INK4 family of cyclin-dependent kinase inhib itors. This protein has been shown to interact with CDK4 or CDK6, and prevent the activation of the CDK kinases, thus function as a cell growth regulator that controls cell cycle G1 progression. Ec topic expression of this gene was shown to suppress the growth of human cells in a manner that a ppears to correlate with the presence of a wild-type RB1 function. Studies in the knockout mice su ggested the roles of this gene in regulating spermatogenesis, as well as in suppressing tumorige nesis. Two alternatively spliced transcript variants of this gene, which encode an identical protein, have been reported. [provided by RefSeq

#### **Other Designations**

CDK6 inhibitor p18|OTTHUMP0000009730|OTTHUMP0000009731|OTTHUMP00000046546 |cyclin-dependent inhibitor|cyclin-dependent kinase 4 inhibitor C|cyclin-dependent kinase 6 inhibit or p18|cyclin-dependent kinase inhibitor 2C

### **Pathway**

Cell cycle

#### Disease

- Breast cancer
- Breast Neoplasms
- Disease Progression
- Genetic Predisposition to Disease
- Head and Neck Neoplasms
- Malignant melanoma
- Melanoma
- Multiple endocrine neoplasia
- Multiple Endocrine Neoplasia Type 1
- Multiple Myeloma
- Neoplasm Invasiveness
- Neoplasm Recurrence
- Neoplasms
- Ovarian cancer



Ovarian Neoplasms