

RecomAb™

UBB recombinant monoclonal antibody, clone R06-2H7


Catalog # RAB02153 Size 100 uL

Applications



Western Blot

Western blot analysis of Lane 1: C6 and Lane 2: C2C12 lysates with UBB recombinant monoclonal antibody, clone R06-2H7 (Cat # RAB02153).



Western Blot

Western Blot analysis of 293 lysates with UBB recombinant monoclonal antibody, clone R06-2H7 (Cat # RAB02153).



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections)

Immunohistochemical staining (Formalin/PFA-fixed paraffin-embedded sections) of human colon cancer with UBB recombinant monoclonal antibody, clone R06-2H7 (Cat # RAB02153). High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

Specification

Product Description

Rabbit recombinant monoclonal antibody raised against human UBB.



Product Information

Rabbit
Original antibody is raised against a synthetic peptide corresponding to human UBB.
Refer to the figure
Human, Mouse, Rat
Liquid
Affinity purification
lgG
Immunofluorescence(1:50-1:200)
Immunohistochemistry (1:50-1:100)
Western Blot (1:500-1:1000)
The optimal working dilution should be determined by the end user.
In 50 mM Tris-Glycine, pH 7.4 (0.15 M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA)
Store at -20 °C.
Aliquot to avoid repeated freezing and thawing.
This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

Western Blot

Western blot analysis of Lane 1: C6 and Lane 2: C2C12 lysates with UBB recombinant monoclonal antibody, clone R06-2H7 (Cat # RAB02153).

Western Blot

Western Blot analysis of 293 lysates with UBB recombinant monoclonal antibody, clone R06-2H7 (Cat # RAB02153).

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin/PFA-fixed paraffin-embedded sections) of human colon cancer with UBB recombinant monoclonal antibody, clone R06-2H7 (Cat # RAB02153). High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

Immunofluorescence

Gene Info — UBB



Product Information

Entrez GeneID	<u>7314</u>
Protein Accession#	P0CG47
Gene Name	UBB
Gene Alias	FLJ25987, MGC8385
Gene Description	ubiquitin B
Omim ID	<u>191339</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	This gene encodes ubiquitin, one of the most conserved proteins known. Ubiquitin is required for ATP-dependent, nonlysosomal intracellular protein degradation of abnormal proteins and normal proteins with a rapid turnover. Ubiquitin is covalently bound to proteins to be degraded, and presu mably labels these proteins for degradation. Ubiquitin also binds to histone H2A in actively transcr ibed regions but does not cause histone H2A degradation, suggesting that ubiquitin is also involved in regulation of gene expression. This gene consists of three direct repeats of the ubiquitin coding sequence with no spacer sequence. Consequently, the protein is expressed as a polyubiquitin precursor with a final amino acid after the last repeat. Aberrant form of this protein has been noticed in patients with Alzheimer's and Down syndrome. [provided by RefSeq
Other Designations	OTTHUMP00000064960 OTTHUMP00000064961 polyubiquitin B