


RecomAb™

MAPK14 recombinant monoclonal antibody


Catalog # RAB02695 Size 100 uL

Applications



Western Blot (Cell lysate)

Western blot analysis of Lane1:Hela whole cell lysate Lane2:NIH/3T3 whole cell lysate Lane3:PC12 whole cell lysate Lane4:Jurkat whole cell lysate with MAPK14 recombinant monoclonal antibody (Cat # RAB02695) at 1:1000 dilution.



Immunocytochemistry

Immunocytochemical staining of HeLa cells using MAPK14 recombinant monoclonal antibody (Cat # RAB02695)(green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton *100/PBS.

| Specification | |
|----------------------|--|
| Product Description | Rabbit recombinant monoclonal antibody raised against MAPK14. |
| Antibody Species | Rabbit |
| Immunogen | Original antibody is raised against recombinant MAPK14. |
| Theoretical MW (kDa) | 42 |
| Reactivity | Human, Mouse, Rat |
| Specificity | This antibody detects endogenous levels of p38 and does not cross-react with related proteins. |



Product Information

| Form | Liquid |
|---------------------|---|
| Purification | Protein A purification |
| Isotype | lgG |
| Recommend Usage | Immunocytochemistry (1:50-1:200) |
| | Western Blot (1:1000-1:5000) The optimal working dilution should be determined by the end user. |
| Storage Buffer | In PBS, pH7.2 (50% glycerol and 0.02% sodium azide) |
| Storage Instruction | Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze-thaw cycles. |
| Note | This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only. |

Applications

Western Blot (Cell lysate)

Western blot analysis of Lane1:Hela whole cell lysate Lane2:NIH/3T3 whole cell lysate Lane3:PC12 whole cell lysate Lane4:Jurkat whole cell lysate with MAPK14 recombinant monoclonal antibody (Cat # RAB02695) at 1:1000 dilution.

Immunocytochemistry

Immunocytochemical staining of HeLa cells using MAPK14 recombinant monoclonal antibody (Cat # RAB02695)(green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton *100/PBS.

| Gene Info — MAPK14 | |
|--------------------|--|
| Entrez GenelD | 1432 |
| Protein Accession# | Q16539 |
| Gene Name | MAPK14 |
| Gene Alias | CSBP1, CSBP2, CSPB1, EXIP, Mxi2, PRKM14, PRKM15, RK, SAPK2A, p38, p38ALPHA |
| Gene Description | mitogen-activated protein kinase 14 |
| Omim ID | 600289 |
| Gene Ontology | <u>Hyperlink</u> |



Product Information

Gene Summary

The protein encoded by this gene is a member of the MAP kinase family. MAP kinases act as an integration point for multiple biochemical signals, and are involved in a wide variety of cellular processes such as proliferation, differentiation, transcription regulation and development. This kinase is activated by various environmental stresses and proinflammatory cytokines. The activation requires its phosphorylation by MAP kinase kinases (MKKs), or its autophosphorylation triggered by the interaction of MAP3K7IP1/TAB1 protein with this kinase. The substrates of this kinase include transcription regulator ATF2, MEF2C, and MAX, cell cycle regulator CDC25B, and tumor suppressor p53, which suggest the roles of this kinase in stress related transcription and cell cycle regulation, as well as in genotoxic stress response. Four alternatively spliced transcript variants of this gene encoding distinct isoforms have been reported. [provided by RefSeq

Other Designations

Csaids binding protein|MAP kinase Mxi2|MAX-interacting protein 2|cytokine suppressive anti-infl ammatory drug binding protein|p38 MAP kinase|p38 mitogen activated protein kinase|p38alpha Exip|stress-activated protein kinase 2A

Pathway

- Amyotrophic lateral sclerosis (ALS)
- Epithelial cell signaling in Helicobacter pylori infection
- Fc epsilon RI signaling pathway
- GnRH signaling pathway
- <u>Leukocyte transendothelial migration</u>
- MAPK signaling pathway
- Neurotrophin signaling pathway
- T cell receptor signaling pathway
- Toll-like receptor signaling pathway
- VEGF signaling pathway

Disease

- Cardiovascular Diseases
- Diabetes Mellitus
- Disease Models
- Edema



- Genetic Predisposition to Disease
- HIV Infections
- Narcolepsy
- Obesity
- Ovarian Failure
- Polycystic Ovary Syndrome
- Puberty
- Schizophrenia
- Thrombophilia
- Tobacco Use Disorder