


 $\textbf{RecomAb}^{\text{\tiny{TM}}}$

RPS6 recombinant monoclonal antibody, clone S6RPS240244-CD10


Catalog # RAB02847 Size 200 uL

Applications



Western Blot

Western blot analysis of NIH3T3 cells untreated or treated with PDGF using S6-Ribosomal Protein (S240/244) antibody S6RPS240/S244-CD10 at 10 ng/mL.



Flow Cytometry

Flow cytometric analysis of K562 cells, unstained untreated cells as negative control (blue) or stained untreated (red) or treated with EGF A (green) using Phospho-S6 ribosomal protein (Ser240/Ser244) antibody S6S240S244-CD10 at 0.1 ug/mL.

Specification	
Product Description	Rabbit recombinant monoclonal antibody raised against human RPS6.
Antibody Species	Rabbit
Immunogen	A synthetic phospho-peptide corresponding to residues surrounding Ser240/244 of human phospho S6 Ribosomal protein
Reactivity	Human



Product Information

Form	Liquid
Purification	Protein A+G
Isotype	Rabbit lgG1k
Recommend Usage	Flow Cytometry Western Blot The optimal working dilution should be determined by the end user.
Storage Buffer	1X PBS, 0.02% Sodium azide, 50% Glycerol, 0.1% BSA
Storage Instruction	Store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

Western Blot

Western blot analysis of NIH3T3 cells untreated or treated with PDGF using S6-Ribosomal Protein (S240/244) antibody S6RPS240/S244-CD10 at 10 ng/mL.

Flow Cytometry

Flow cytometric analysis of K562 cells, unstained untreated cells as negative control (blue) or stained untreated (red) or treated with EGF A (green) using Phospho-S6 ribosomal protein (Ser240/Ser244) antibody S6S240S244-CD10 at 0.1 ug/mL.

Gene Info — RPS6	
Entrez GenelD	<u>6194</u>
Protein Accession#	<u>P62753</u>
Gene Name	RPS6
Gene Alias	-
Gene Description	ribosomal protein S6
Omim ID	180460
Gene Ontology	<u>Hyperlink</u>



Product Information

Gene Summary

Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and a la rge 60S subunit. Together these subunits are composed of 4 RNA species and approximately 80 structurally distinct proteins. This gene encodes a cytoplasmic ribosomal protein that is a compon ent of the 40S subunit. The protein belongs to the S6E family of ribosomal proteins. It is the major substrate of protein kinases in the ribosome, with subsets of five C-terminal serine residues phos phorylated by different protein kinases. Phosphorylation is induced by a wide range of stimuli, including growth factors, tumor-promoting agents, and mitogens. Dephosphorylation occurs at growth arrest. The protein may contribute to the control of cell growth and proliferation through the selective translation of particular classes of mRNA. As is typical for genes encoding ribosomal proteins, there are multiple processed pseudogenes of this gene dispersed through the genome. [provided by RefSeq

Other Designations

40S ribosomal protein S6|OTTHUMP00000021120|phosphoprotein NP33

Pathway

- Insulin signaling pathway
- mTOR signaling pathway
- Ribosome