


RecomAb™

CD59 recombinant monoclonal antibody, clone 193-27

Catalog # RAB03313 Size 200 ug


Applications



Immunofluorescence

Immunofluorescent staining of Jurkat cells with CD59 recombinant monoclonal antibody, clone 193-27 (Cat # RAB03313).

Jurkat cells on Shi-fix™ coverslips stained with the chimeric r version of RAB03313 at 10 ug/ml for 1h followed by Alexa Fluor® 488 secondary antibody (2 ug/ml)- showing membrane staining. The nuclear stain is DAPI (blue). Panels show from left-right- top-bottom RAB03313- DAPI- merged channels and an isotype control. The isotype control was an unknown specificity antibody (3.0) followed by staining with Alexa Fluor® 488 secondary antibody.



Flow Cytometry

Flow cytometric analysis of Jurkat cells with CD59 recombinant monoclonal antibody, clone 193-27 (Cat # RAB03313).

Jurkat cells were fixed using 2% PFA and stained with anti-unknown specificity antibody (3.0; isotype control- black line) or the r1 version of RAB03313 (blue line) at a dilution of 1:100 for 1h at RT. After washing- the bound antibody was detected using a goat anti-r AlexaFluor® 488 antibody at a dilution of 1:1000 and cells analyzed using a FACSCanto flow-cytometer.

Specification

Product Description	Rabbit recombinant monoclonal antibody raised against human CD59.
Antibody Species	Rabbit
Immunogen	Original antibody is raised against stimulated human leukocytes.

Reactivity	Human
Form	Liquid
Isotype	IgG kappa
Recommend Usage	Flow Cytometry Immunofluorescence Immunohistochemistry The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (0.02% Proclin 300)
Storage Instruction	Store at 4°C for 3 months. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Immunohistochemistry

- Immunofluorescence

Immunofluorescent staining of Jurkat cells with CD59 recombinant monoclonal antibody, clone 193-27 (Cat # RAB03313). Jurkat cells on Shi-fix™ coverslips stained with the chimeric r version of RAB03313 at 10 ug/ml for 1h followed by Alexa Fluor® 488 secondary antibody (2 ug/ml)- showing membrane staining. The nuclear stain is DAPI (blue). Panels show from left-right-top-bottom RAB03313- DAPI- merged channels and an isotype control. The isotype control was an unknown specificity antibody (3.0) followed by staining with Alexa Fluor® 488 secondary antibody.

- Flow Cytometry

Flow cytometric analysis of Jurkat cells with CD59 recombinant monoclonal antibody, clone 193-27 (Cat # RAB03313). Jurkat cells were fixed using 2% PFA and stained with anti-unknown specificity antibody (3.0; isotype control- black line) or the r1 version of RAB03313 (blue line) at a dilution of 1:100 for 1h at RT. After washing- the bound antibody was detected using a goat anti-r AlexaFluor® 488 antibody at a dilution of 1:1000 and cells analyzed using a FACSCanto flow-cytometer.

Gene Info — CD59

Entrez GeneID	966
Gene Name	CD59
Gene Alias	16.3A5, 1F5, EJ16, EJ30, EL32, FLJ38134, FLJ92039, G344, HRF-20, HRF20, MAC-IP, MAC1 F, MEM43, MGC2354, MIC11, MIN1, MIN2, MIN3, MIRL, MSK21, p18-20
Gene Description	CD59 molecule, complement regulatory protein
Omim ID	107271

Gene Ontology

[Hyperlink](#)

Gene Summary

This gene encodes a cell surface glycoprotein that regulates complement-mediated cell lysis, and it is involved in lymphocyte signal transduction. This protein is a potent inhibitor of the complement membrane attack complex, whereby it binds complement C8 and/or C9 during the assembly of this complex, thereby inhibiting the incorporation of multiple copies of C9 into the complex, which is necessary for osmolytic pore formation. This protein also plays a role in signal transduction pathways in the activation of T cells. Mutations in this gene cause CD59 deficiency, a disease resulting in hemolytic anemia and thrombosis, and which causes cerebral infarction. Multiple alternatively spliced transcript variants, which encode the same protein, have been identified for this gene. [provided by RefSeq]

Other Designations

20 kDa homologous restriction factor|CD59 antigen|CD59 antigen p18-20 (antigen identified by monoclonal antibodies 16.3A5, EJ16, EJ30, EL32 and G344)|CD59 glycoprotein|Ly-6-like protein|T cell-activating protein|human leukocyte antigen MIC11|lymphocytic a

Pathway

- [Complement and coagulation cascades](#)
- [Hematopoietic cell lineage](#)

Disease

- [Genetic Predisposition to Disease](#)
- [Lymphoma](#)
- [Macular Degeneration](#)