


RecomAb™

CD74 recombinant monoclonal antibody, clone LN-2


Catalog # RAB03332 Size 200 ug

Applications



Western Blot


Western blot analysis of Lane 1: Daudi cell lysate, Lane 2: human spleen lysate and Lane 3: human tonsil tissue lysate with CD74 recombinant monoclonal antibody, clone LN-2 (Cat # RAB03332).



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections)

Immunofluorescent staining of Daudi cells with CD74 recombinant monoclonal antibody, clone LN-2 (Cat # RAB03332).

Immunofluorescence analysis of paraformaldehyde fixed Daudi cells on Shifix™ coverslips stained with the chimeric r version of RAB03332 at 10 ug/ml for
1h followed by Alexa Fluor® 488 secondary antibody (2 ug/ml)- showing
membrane staining. The nuclear stain is DAPI (blue). Panels show from leftright- top-bottom RAB03332- DAPI- merged channels and an isotype control.
The isotype control was an unknown specificity antibody (.1) followed by
staining with Alexa Fluor® 488 secondary antibody.



Flow Cytometry

Flow cytometric analysis of Daudi cells with CD74 recombinant monoclonal antibody, clone LN-2 (Cat # RAB03332).

Daudi cells were stained with anti-unknown specificity antibody (3.0; isotype control- black line) or the r version of RAB03332 (blue line) at a dilution of 1:100 for 1h at RT. After washing- the bound antibody was detected using a goat anti-r AlexaFluor® 488 antibody at a dilution of 1:1000 and cells analyzed using a FACSCanto flow-cytometer.

Specification	
Product Description	Rabbit recombinant monoclonal antibody raised against human CD74.
Antibody Species	Rabbit
Immunogen	Original antibody is raised against SU-DHL-4 lymphoma cells.
Reactivity	Human, Mouse, Rat
Form	Liquid
Isotype	lgG kappa
Recommend Usage	ELISA
	Flow Cytometry
	Immunofluorescence
	Immunohistochemistry
	Immunoprecipitation Western Blot
	The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (0.02% Proclin 300)
Storage Instruction	Store at 4°C for 3 months. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.

Applications



Western Blot

Western blot analysis of Lane 1: Daudi cell lysate, Lane 2: human spleen lysate and Lane 3: human tonsil tissue lysate with CD74 recombinant monoclonal antibody, clone LN-2 (Cat # RAB03332).

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunofluorescent staining of Daudi cells with CD74 recombinant monoclonal antibody, clone LN-2 (Cat # RAB03332). Immunofluorescence analysis of paraformaldehyde fixed Daudi cells on Shi-fix™ coverslips stained with the chimeric r version of RAB03332 at 10 ug/ml for 1h followed by Alexa Fluor® 488 secondary antibody (2 ug/ml)- showing membrane staining. The nuclear stain is DAPI (blue). Panels show from left-right- top-bottom RAB03332- DAPI- merged channels and an isotype control. The isotype control was an unknown specificity antibody (.1) followed by staining with Alexa Fluor® 488 secondary antibody.

- Immunohistochemistry
- Immunoprecipitation
- Enzyme-linked Immunoabsorbent Assay
- Flow Cytometry

Flow cytometric analysis of Daudi cells with CD74 recombinant monoclonal antibody, clone LN-2 (Cat # RAB03332). Daudi cells were stained with anti-unknown specificity antibody (3.0; isotype control- black line) or the r version of RAB03332 (blue line) at a dilution of 1:100 for 1h at RT. After washing- the bound antibody was detected using a goat anti-r AlexaFluor® 488 antibody at a dilution of 1:1000 and cells analyzed using a FACSCanto flow-cytometer.

Gene Info — CD74	
Entrez GenelD	<u>972</u>
Gene Name	CD74
Gene Alias	DHLAG, HLADG, la-GAMMA
Gene Description	CD74 molecule, major histocompatibility complex, class Il invariant chain
Omim ID	<u>142790</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	major histocompatibility complex
Other Designations	CD74 antigen CD74 antigen (invariant polypeptide of major histocompatibility complex, class II an tigen-associated) HLA-DR-gamma la-associated invariant chain MHC HLA-DR gamma chain gamma chain of class II antigens



Pathway

Antigen processing and presentation

Disease

- Cardiovascular Diseases
- Celiac Disease
- Diabetes Mellitus
- Edema