




# LGALS1 recombinant monoclonal antibody, clone SAIC-25B-112

Catalog # RAB03631 Size 200 ug


## **Applications**



#### Western Blot

Western blot analysis of U251 cells with LGALS1 recombinant monoclonal antibody, clone SAIC-25B-112 (Cat # RAB03631).

Western Blot analysis the U251 cell lysates (35ug protein in RIPA buffer) were resolved on a SDS PAGE gel and blots were probed with the chimeric r version of RAB03631 at 0.1 ug/mL before detection using an anti-rondary antibody. A primary incubation of 1h was used and protein was detected by chemiluminescence.



▶ Anti-LGALS1

# Flow Cytometry

Flow cytometric analysis of Hela cells with LGALS1 recombinant monoclonal antibody, clone SAIC-25B-112 (Cat # RAB03631).

Paraformaldehyde fixed Hela cells permeabilized with 0.5% Triton were stained with anti-unknown specificity antibody (isotype control-black line) or the r version of RAB03631 (blue line) at a dilution of 1:100 for 1h at RT. After washing the bound antibody was detected using a goat anti-r AlexaFluor® 488 antibody at a dilution of 1:1000 and cells analyzed using a FACSCanto flow-cytometer.

Specification	
Product Description	Rabbit recombinant monoclonal antibody raised against human LGALS1.
Antibody Species	Rabbit
lmmunogen	Original antibody is raised against the KLH-conjugated peptide "SFVLNLGK" derived from Galectin 1.
Reactivity	Human



#### **Product Information**

Form	Liquid
Isotype	lgG
Recommend Usage	Flow Cytometry
	Immuno-MRM (multiple reaction monitoring)
	Western Blot
	The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (0.02% Proclin 300)
Storage Instruction	Store at 4°C for 3 months. For long term storage, aliquot and store at -20°C.
	Aliquot to avoid repeated freezing and thawing.

## **Applications**

#### Western Blot

Western blot analysis of U251 cells with LGALS1 recombinant monoclonal antibody, clone SAIC-25B-112 (Cat # RAB03631). Western Blot analysis the U251 cell lysates (35ug protein in RIPA buffer) were resolved on a SDS PAGE gel and blots were probed with the chimeric r version of RAB03631 at 0.1 ug/mL before detection using an anti-rondary antibody. A primary incubation of 1h was used and protein was detected by chemiluminescence.

#### Flow Cytometry

Flow cytometric analysis of Hela cells with LGALS1 recombinant monoclonal antibody, clone SAIC-25B-112 (Cat # RAB03631). Paraformaldehyde fixed Hela cells permeabilized with 0.5% Triton were stained with anti-unknown specificity antibody (isotype control-black line) or the r version of RAB03631 (blue line) at a dilution of 1:100 for 1h at RT. After washing the bound antibody was detected using a goat anti-r AlexaFluor® 488 antibody at a dilution of 1:1000 and cells analyzed using a FACSCanto flow-cytometer.

Immuno-MRM (multiple reaction monitoring)

Gene Info — LGALS1		
Entrez GenelD	<u>3956</u>	
Gene Name	LGALS1	
Gene Alias	DKFZp686E23103, GAL1, GBP	
Gene Description	lectin, galactoside-binding, soluble, 1	
Omim ID	<u>150570</u>	
Gene Ontology	<u>Hyperlink</u>	



# **Product Information**

Gene Summary	The galectins are a family of beta-galactoside-binding proteins implicated in modulating cell-cell a nd cell-matrix interactions. This gene product may act as an autocrine negative growth factor that r egulates cell proliferation. [provided by RefSeq
Other Designations	OTTHUMP00000028982 S-Lac lectin 1 beta-galactoside-binding lectin L-14-l galaptin galectin 1  galectin-1 lactose-binding lectin 1

## Disease

- Cardiovascular Diseases
- Diabetes Mellitus
- Edema
- Genetic Predisposition to Disease
- Myasthenia Gravis
- Thyroid Neoplasms