

RecomAb™

NBN (phospho S343) recombinant monoclonal antibody, clone 1B4

Catalog # RAB04229

Size 100 uL

Applications

Western Blot

Western blot analysis of Lane 1: Hela whole cell lysate and Lane 2: HepG2 whole cell lysate with NBN (phospho S343) recombinant monoclonal antibody, clone 1B4 (Cat # RAB04229).

Specification

Product Description	Rabbit recombinant monoclonal antibody raised against human NBN.
Antibody Species	Rabbit
Immunogen	Original antibody is raised against a synthetic phosphopeptide corresponding to residues surrounding S343 of human NBN.
Theoretical MW (kDa)	Calculated MW: 95 kD
Reactivity	Human
Form	Liquid
Purification	Affinity chromatography
Isotype	IgG
Recommend Usage	ELISA Western Blot (1:500-1:5000) The optimal working dilution should be determined by the end user.

Storage Buffer	In PBS, pH7.4 (150mM NaCl, 50% glycerol and 0.02% sodium azide)
Storage Instruction	store at -20 °C or -80 °C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot

Western blot analysis of Lane 1: Hela whole cell lysate and Lane 2: HepG2 whole cell lysate with NBN (phospho S343) recombinant monoclonal antibody, clone 1B4 (Cat # RAB04229).

- Enzyme-linked Immunoabsorbent Assay

Gene Info — NBN

Entrez GeneID	4683
Protein Accession#	O60934
Gene Name	NBN
Gene Alias	AT-V1, AT-V2, ATV, FLJ10155, MGC87362, NBS, NBS1, P95
Gene Description	nibrin
Omim ID	251260 602667
Gene Ontology	Hyperlink
Gene Summary	Mutations in this gene are associated with Nijmegen breakage syndrome, an autosomal recessive chromosomal instability syndrome characterized by microcephaly, growth retardation, immunodeficiency, and cancer predisposition. The encoded protein is a member of the MRE11/RAD50 double-strand break repair complex which consists of 5 proteins. This gene product is thought to be involved in DNA double-strand break repair and DNA damage-induced checkpoint activation. [provided by RefSeq]
Other Designations	Nijmegen breakage syndrome 1 (nibrin) cell cycle regulatory protein p95 p95 protein of the MRE11/RAD50 complex

Pathway

- [Homologous recombination](#)

Disease

- [Acute Disease](#)
- [Adenocarcinoma](#)
- [Astrocytoma](#)
- [Ataxia telangiectasia](#)
- [Brain Neoplasms](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Carcinoma](#)
- [Central Nervous System Neoplasms](#)
- [Chromosomal Instability](#)
- [Chromosome Aberrations](#)
- [Chromosome Breakage](#)
- [Chromosome Deletion](#)
- [Cleft Lip](#)
- [Cleft Palate](#)
- [Colorectal Neoplasms](#)
- [Disease Progression](#)
- [DNA Damage](#)
- [DNA Repair-Deficiency Disorders](#)
- [Esophageal Neoplasms](#)
- [Gastrointestinal Neoplasms](#)
- [Genetic Predisposition to Disease](#)
- [Genital Neoplasms](#)

- [Glioblastoma](#)
- [Glioma](#)
- [Hematologic Diseases](#)
- [Hematologic Neoplasms](#)
- [Hodgkin Disease](#)
- [Kidney Failure](#)
- [Laryngeal Neoplasms](#)
- [Leukemia](#)
- [Lung Neoplasms](#)
- [Lymphoma](#)
- [Lymphoproliferative Disorders](#)
- [Malignant melanoma](#)
- [Medulloblastoma](#)
- [Melanoma](#)
- [Meningeal Neoplasms](#)
- [Meningioma](#)
- [Mouth Neoplasms](#)
- [Multiple Sclerosis](#)
- [Neoplasms](#)
- [Neuroma](#)
- [Nijmegen Breakage Syndrome](#)
- [Obesity](#)
- [Occupational Diseases](#)
- [Ovarian cancer](#)
- [Ovarian Failure](#)
- [Ovarian Neoplasms](#)

- [Pancreatic Neoplasms](#)
- [Parkinson disease](#)
- [Polycystic Ovary Syndrome](#)
- [Precancerous Conditions](#)
- [Prostate cancer](#)
- [Prostatic Neoplasms](#)
- [Puberty](#)
- [Pulmonary Disease](#)
- [Skin Neoplasms](#)
- [Stomach Neoplasms](#)
- [Syndrome](#)
- [Thrombophilia](#)
- [Thyroid Neoplasms](#)
- [Tobacco Use Disorder](#)
- [Urinary Bladder Neoplasms](#)
- [Uterine Cervical Neoplasms](#)
- [Waldenstrom Macroglobulinemia](#)
- [Werner syndrome](#)