

RecomAb™

GPI recombinant monoclonal antibody, clone R03-1W3

Catalog # RAB05260 Size 100 uL

Specification

Product Description	Rabbit recombinant monoclonal antibody raised against human AMF.
Antibody Species	Rabbit
Immunogen	Original antibody is raised against recombinant protein corresponding to human AMF
Theoretical MW (kDa)	Calculated MW: 63 kD
Reactivity	Human
Form	Liquid
Purification	Affinity purification
Isotype	IgG
Recommend Usage	Flow cytometry (1/50-1/100) Immunofluorescence (1/50-1/200) Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)(1/50-1/100) Western Blot (1/500-1/1000) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, 150 mM NaCl, pH 7.4 (50% glycerol and 0.02% Sodium azide)
Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)
- Immunocytochemistry
- Immunofluorescence
- Flow Cytometry

Gene Info — GPI

Entrez GeneID [2821](#)

Gene Name GPI

Gene Alias AMF, GNPI, NLK, PGI, PHI, SA-36

Gene Description glucose phosphate isomerase

Omim ID [172400](#)

Gene Ontology [Hyperlink](#)

Gene Summary This gene belongs to the GPI family whose members encode multifunctional phosphoglucose isomerase proteins involved in energy pathways. The protein encoded by this gene is a dimeric enzyme that catalyzes the reversible isomerization of glucose-6-phosphate and fructose-6-phosphate. The protein functions in different capacities inside and outside the cell. In the cytoplasm, the gene product is involved in glycolysis and gluconeogenesis, while outside the cell it functions as a neurotrophic factor for spinal and sensory neurons. Defects in this gene are the cause of nonspherocytic hemolytic anemia and a severe enzyme deficiency can be associated with hydrops fetalis, immediate neonatal death and neurological impairment. [provided by RefSeq]

Other Designations autocrine motility factor|glucose-6-phosphate isomerase|hexose monophosphate isomerase|hexosephosphate isomerase|neuroleukin|oxoisomerase|phosphoglucose isomerase|phosphohexomutase|phosphohexose isomerase|phosphosaccharomutase|sperm antigen-36

Pathway

- [Amino sugar and nucleotide sugar metabolism](#)
- [Biosynthesis of alkaloids derived from histidine and purine](#)
- [Biosynthesis of alkaloids derived from ornithine](#)
- [Biosynthesis of alkaloids derived from shikimate pathway](#)

- [Biosynthesis of alkaloids derived from terpenoid and polyketide](#)
- [Biosynthesis of phenylpropanoids](#)
- [Biosynthesis of plant hormones](#)
- [Biosynthesis of terpenoids and steroids](#)
- [Glycolysis / Gluconeogenesis](#)
- [Metabolic pathways](#)
- [Pentose phosphate pathway](#)
- [Starch and sucrose metabolism](#)