


RecomAb™

CDC42 recombinant monoclonal antibody, clone 3C3


Catalog # RAB07512 Size 100 uL

Applications



Western Blot

Western blot analysis of NIH/3T3 whole cell lysate, K562 whole cell lysate, Mouse Brain whole cell lysate with CDC42 recombinant monoclonal antibody, clone 3C3 (Cat # RAB07512).



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical analysis of paraffin-embedded human pancreatic cancer using CDC42 recombinant monoclonal antibody, clone 3C3 (Cat # RAB07512) on a Leica Bond™ system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a Goat anti-rabbit IgG polymer labeled by HRP and visualized using 0.05% DAB.

Specification

Product Description	Rabbit recombinant monoclonal antibody raised against human CDC42.
Antibody Species	Rabbit
Immunogen	Original antibody is raised against a synthetic peptide corresponding to human CDC42.
Theoretical MW (kDa)	Calculated MW: 22
Reactivity	Human, Mouse
Form	Liquid
Purification	Affinity chromatography purification
Isotype	IgG
Recommend Usage	ELISA Immunohistochemistry (1:50-1:200) Western Blot (1:500-1:5000) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH7.4 (150 mM NaCl, 0.02% sodium azide and 50% glycerol)
Storage Instruction	Store at -20°C or -80°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot

Western blot analysis of NIH/3T3 whole cell lysate, K562 whole cell lysate, Mouse Brain whole cell lysate with CDC42 recombinant monoclonal antibody, clone 3C3 (Cat # RAB07512).

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical analysis of paraffin-embedded human pancreatic cancer using CDC42 recombinant monoclonal antibody, clone 3C3 (Cat # RAB07512) on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a Goat anti-rabbit IgG polymer labeled by HRP and visualized using 0.05% DAB.

- Enzyme-linked Immunoabsorbent Assay

Gene Info — CDC42

Entrez GeneID [998](#)

Protein Accession# [P60953](#)

Gene Name CDC42

Gene Alias CDC42Hs, G25K

Gene Description cell division cycle 42 (GTP binding protein, 25kDa)

Omim ID [116952](#)

Gene Ontology [Hyperlink](#)

Gene Summary

The protein encoded by this gene is a small GTPase of the Rho-subfamily, which regulates signaling pathways that control diverse cellular functions including cell morphology, migration, endocytosis and cell cycle progression. This protein is highly similar to *Saccharomyces cerevisiae* Cdc 42, and is able to complement the yeast *cdc42-1* mutant. The product of oncogene *Dbl* was reported to specifically catalyze the dissociation of GDP from this protein. This protein could regulate actin polymerization through its direct binding to Neural Wiskott-Aldrich syndrome protein (N-WASP), which subsequently activates Arp2/3 complex. Alternative splicing of this gene results in multiple transcript variants. [provided by RefSeq]

Other Designations

GTP-binding protein, 25kD|OTTHUMP00000002834|OTTHUMP00000002926|cell division cycle 42|cell division cycle 42 (GTP binding protein, 25kD)|cell division cycle 42 (GTP-binding protein, 25kD)|dJ224A6.1.1 (cell division cycle 42 (GTP-binding protein, 25kD))|d

Pathway

- [Adherens junction](#)
- [Axon guidance](#)
- [Chemokine signaling pathway](#)
- [Endocytosis](#)
- [Epithelial cell signaling in Helicobacter pylori infection](#)
- [Fc gamma R-mediated phagocytosis](#)
- [Focal adhesion](#)
- [GnRH signaling pathway](#)

- [Leukocyte transendothelial migration](#)
- [MAPK signaling pathway](#)
- [Neurotrophin signaling pathway](#)
- [Pancreatic cancer](#)
- [Pathogenic Escherichia coli infection - EHEC](#)
- [Pathways in cancer](#)
- [Regulation of actin cytoskeleton](#)
- [Renal cell carcinoma](#)
- [T cell receptor signaling pathway](#)
- [Tight junction](#)
- [VEGF signaling pathway](#)

Disease

- [Genetic Predisposition to Disease](#)
- [Hepatitis B](#)
- [HIV Infections](#)
- [Multiple Sclerosis](#)
- [Parkinson disease](#)