

#### RecomAb™

# CLDN18 recombinant monoclonal antibody, clone 9C2

Catalog # RAB07551 Size 100 uL

## Applications



### Flow Cytometry

Flow cytometry analysis of untransfected KATO3 cells (green line), transfected human CLDN18.2 KATO3 stable cells (red line) and transfected human CLDN18.1 NIH-3T3 stable cells (blue line) were stained with CLDN18 recombinant monoclonal antibody, clone 9C2 (Cat # RAB07551) (2ug/1\*106cells). The cells were washed and then followed by FITC-conjugated Goat Anti-Human IgG, Fc-gamma antibody (CSB-PA271513).



The ELISA results show that the binding activity of human CLDN18.2 with CLDN18 recombinant monoclonal antibody, clone 9C2 (Cat # RAB07551). Immobilized Human CLDN18.2 (CSB-MP005498HU(A5)) at 5 ug/mL can bind CLDN18 recombinant monoclonal antibody, clone 9C2 (Cat # RAB07551), the EC<sub>50</sub> is 6.554-27.87 ng/mL.

### Specification

Product Description	Human recombinant monoclonal antibody raised against human CLDN18.
Antibody Species	Human
Immunogen	Original antibody is raised against recombinant protein of human CLDN18.
Reactivity	Human
Form	Liquid

谢 Abnova

Purification	Affinity chromatography purification
lsotype	lgG1
Quality Control Testing	Binding activity The ELISA results show that the binding activity of human CLDN18.2 with CLDN18 recombinant mon oclonal antibody, clone 9C2 (Cat # RAB07551). Immobilized Human CLDN18.2 (CSB-MP005498H U(A5)) at 5 ug/mL can bind CLDN18 recombinant monoclonal antibody, clone 9C2 (Cat # RAB0755 1), the EC <sub>50</sub> is 6.554-27.87 ng/mL.
Recommend Usage	ELISA Flow Cytometry(1:20-1:200) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH7.4 (0.03% Proclin 300 and 50% glycerol)
Storage Instruction	Store at -20°C or -80°C. Aliquot to avoid repeated freezing and thawing.

## Applications

- Enzyme-linked Immunoabsorbent Assay
- Flow Cytometry

Flow cytometry analysis of untransfected KATO3 cells (green line), transfected human CLDN18.2 KATO3 stable cells (red line) and transfected human CLDN18.1 NIH-3T3 stable cells (blue line) were stained with CLDN18 recombinant monoclonal antibody, clone 9C2 (Cat # RAB07551)(2ug/1\*10<sup>6</sup>cells). The cells were washed and then followed by FITC-conjugated Goat Anti-Human IgG, Fc-gamma antibody (CSB-PA271513).

Gene Info — CLDN18		
Entrez GenelD	<u>51208</u>	
Protein Accession#	<u>P56856-2</u>	
Gene Name	CLDN18	
Gene Alias	SFTA5, SFTPJ	
Gene Description	claudin 18	
Omim ID	<u>609210</u>	
Gene Ontology	<u>Hyperlink</u>	

🐨 Abnova	Product Information
Gene Summary	CLDN18 belongs to the large claudin family of proteins, which form tight junction strands in epithel ial cells (Niimi et al., 2001 [PubMed 11585919]).[supplied by OMIM
Other Designations	surfactant associated 5 surfactant associated protein J surfactant, pulmonary associated protein J

# Pathway

- Cell adhesion molecules (CAMs)
- Leukocyte transendothelial migration
- Tight junction