
RecomAb™ Sm Size

CDH1 recombinant monoclonal antibody, clone 1E1

Catalog # RAB08094 Size 50 uL

Applications



Immunohistochemistry

Immunohistochemistry image of CDH1 recombinant monoclonal antibody, clone 1E1 diluted at 1:100 and staining in paraffin-embedded human breast cancer performed on a Leica Bond™ system.

Specification

Product Description	Rabbit recombinant monoclonal antibody raised against human CDH1.
Antibody Species	Rabbit
Immunogen	Original antibody is raised against recombinant protein corresponding to full length human CDH1.
Reactivity	Human
Form	Liquid
Preparation Method	Mammalian cell (HEK293) expression system
Purification	Affinity-chromatography
Isotype	IgG
Recommend Usage	ELISA Immunohistochemistry (1:50-1:200) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH7.4 (150mM NaCl, 50% glycerol and 0.02% sodium azide)

Copyright © 2023 Abnova Corporation. All Rights Reserved.

Storage Instruction	Store at -20 °C or -80 °C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

- Immunohistochemistry

  Immunohistochemistry image of CDH1 recombinant monoclonal antibody, clone 1E1 diluted at 1:100 and staining in paraffin-embedded human breast cancer performed on a Leica Bond™ system.

- Enzyme-linked Immunoabsorbent Assay

Gene Info — CDH1

Entrez GeneID	999
Protein Accession#	P12830
Gene Name	CDH1
Gene Alias	Arc-1, CD324, CDHE, ECAD, LCAM, UVO
Gene Description	cadherin 1, type 1, E-cadherin (epithelial)
Omim ID	137215 192090
Gene Ontology	Hyperlink
Gene Summary	This gene is a classical cadherin from the cadherin superfamily. The encoded protein is a calcium dependent cell-cell adhesion glycoprotein comprised of five extracellular cadherin repeats, a trans membrane region and a highly conserved cytoplasmic tail. Mutations in this gene are correlated w ith gastric, breast, colorectal, thyroid and ovarian cancer. Loss of function is thought to contribute t o progression in cancer by increasing proliferation, invasion, and/or metastasis. The ectodomain of this protein mediates bacterial adhesion to mammalian cells and the cytoplasmic domain is re quired for internalization. Identified transcript variants arise from mutation at consensus splice site s. [provided by RefSeq
Other Designations	cadherin 1, E-cadherin (epithelial)|cadherin 1, type 1|calcium-dependent adhesion protein, epithel ial|cell-CAM 120/80|uvomorulin

Pathway

Copyright © 2023 Abnova Corporation. All Rights Reserved.

- Adherens junction
- Bladder cancer
- Cell adhesion molecules (CAMs)
- Endometrial cancer
- Melanoma
- Pathogenic Escherichia coli infection - EHEC
- Pathways in cancer
- Thyroid cancer

Disease

- Adenocarcinoma
- Asthma
- Breast cancer
- Breast Neoplasms
- Bronchiolitis
- Carcinoma
- Cleft Lip
- Cleft Palate
- Colitis
- Colorectal Neoplasms
- Crohn Disease
- Disease Progression
- Esophageal Neoplasms
- Genetic Predisposition to Disease
- Glaucoma
- Head and Neck Neoplasms

Copyright © 2023 Abnova Corporation. All Rights Reserved.

- Helicobacter Infections
- Hepatitis B
- Infant
- Kidney Neoplasms
- Laryngeal Neoplasms
- Leiomyoma
- Liver Neoplasms
- Low Tension Glaucoma
- Lung Neoplasms
- Lymphatic Metastasis
- Meningeal Neoplasms
- Meningioma
- Mouth Neoplasms
- Nasopharyngeal Neoplasms
- Neoplasm Invasiveness
- Neoplasm Metastasis
- Neoplasm Recurrence
- Neoplasms
- Neoplastic Syndromes
- Obesity
- Ocular Hypertension
- Ovarian cancer
- Ovarian Neoplasms
- Pancreatic cancer
- Pancreatic Neoplasms
- Pharyngeal Neoplasms

Copyright © 2023 Abnova Corporation. All Rights Reserved.

- Prostate cancer
- Prostatic Hyperplasia
- Prostatic Neoplasms
- Pulmonary Disease
- Respiratory Syncytial Virus Infections
- Stomach Neoplasms
- Tooth Abnormalities
- Ureteral Neoplasms
- Urinary Bladder Neoplasms
- Urinary Calculi
- Urologic Neoplasms
- Uterine Neoplasms
- Werner syndrome

Copyright © 2023 Abnova Corporation. All Rights Reserved.