
RecomAb™ Sm Size

KRT19 recombinant monoclonal antibody, clone KRT19/1959R


Catalog # RAB08939 Size 20 ug

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of human colon.



Western Blot (Cell lysate)

Western Blot (cell lysate) analysis of HepG2 cell lysate.

Specification

Product Description	Rabbit recombinant monoclonal antibody raised against full length human KRT19.
Antibody Species	Rabbit
Immunogen	Recombinant protein corresponding to full-length human KRT19.
Reactivity	Human, Mouse
Form	Liquid
Purification	Protein A/G purification

Copyright © 2023 Abnova Corporation. All Rights Reserved.

Isotype	IgG
Recommend Usage	Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (0.5-1 ug/mL) Western Blot (0.5-2 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In 10 mM PBS (0.05% BSA and 0.05% azide)
Storage Instruction	Store at 4°C.

Applications

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

  Immunohistochemical staining of human colon.

- Western Blot (Cell lysate)

  Western Blot (cell lysate) analysis of HepG2 cell lysate.

Gene Info — KRT19

Entrez GeneID	3880
Protein Accession#	P08727
Gene Name	KRT19
Gene Alias	CK19, K19, K1CS, MGC15366
Gene Description	keratin 19
Omim ID	148020
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene is a member of the keratin family. The keratins are intermediate filament proteins responsible for the structural integrity of epithelial cells and are subdivided into c ytokeratins and hair keratins. The type I cytokeratins consist of acidic proteins which are arranged in pairs of heterotypic keratin chains. Unlike its related family members, this smallest known acidi c cytokeratin is not paired with a basic cytokeratin in epithelial cells. It is specifically expressed in the periderm, the transiently superficial layer that envelopes the developing epidermis. The type I cytokeratins are clustered in a region of chromosome 17q12-q21. [provided by RefSeq
Other Designations	40-kDa keratin intermediate filament|cytokeratin 19|keratin, type I cytoskeletal 19|keratin, type I, 4 0-kd

Copyright © 2023 Abnova Corporation. All Rights Reserved.

Disease

- Liver Cirrhosis

Copyright © 2023 Abnova Corporation. All Rights Reserved.