

Fluorescent Dye 510-M Streptavidin

Catalog # U0282 Size 100 ug

Applications

Maximum Excitation/Emission wavelength: 414/508 nm

Maximum Excitation/Emission wavelength: 414/508 nm

Specification

Product Description	Fluorescence Dye 510-M with Streptavidin conjugate. All the Fluorescent Dye M series products are designed to be maximally excited by one of the major light sources equipped in flow cytometers. Besides, in comparison with phycobiliprotein tandems, Fluorescent Dye M series possesses better photostability, higher conjugation yields, and little pH sensitivity making it an ideal choice in fluorescence imaging applications.
Spectral Equivalent	AmCyan
Molar Extinction Coefficient	$\geq 20,000 \text{ M}^{-1} \text{ cm}^{-1}$
Excitation (Max)	414nm
Emission (Max)	508nm
Recommended Excitation	Violet (405nm)
Recommended Filter Sets	FITC Filter, 525/20 nm Filter
Solubility	Water
Regulation Status	For research use only (RUO)

Recommend Usage

Labeling via Streptavidin for fluorescence imaging and other fluorescence-based biochemical analysis. For most fluorescent streptavidin applications, a concentration of 1-20 µg/mL is sufficient. The optimal working dilution should be determined by the end user.

Storage Buffer

Water

Storage Instruction

Store the product in desiccated environment at -20°C and avoid from light. Add ddH₂O with 0.1% BSA into the vial to have 1 mg/mL stock solution. This reconstituted solution remains stable for 2 months when stored in the presence of 2 mM sodium azide and avoid from light at 4°C. For longer storage, divide the reconstituted solution into single-used aliquots, or add equal volume of glycerol without aliquoting, and avoid from light at -20°C.

Note

Maximum Excitation/Emission wavelength: 414/508 nm
Maximum Excitation/Emission wavelength: 414/508 nm

Applications

- Conjugation
- Flow Cytometry