


MaxPab®

ARL4D MaxPab mouse polyclonal antibody (B01)

Catalog # H00000379-B01 Size

Size 50 uL

Applications



Western Blot (Transfected lysate)

Western Blot analysis of ARL4D expression in transfected 293T cell line (H00000379-T01) by ARL4D MaxPab polyclonal antibody.

Lane 1: ARL4D transfected lysate(22.11 KDa). Lane 2: Non-transfected lysate.

| Specification | |
|-------------------------|---|
| Product Description | Mouse polyclonal antibody raised against a full-length human ARL4D protein. |
| Immunogen | ARL4D (NP_001652, 1 a.a. ~ 201 a.a) full-length human protein. |
| Sequence | MGNHLTEMAPTASSFLPHFQALHVVVIGLDSAGKTSLLYRLKFKEFVQSVPTKGFNTEKIRVPLGG SRGITFQVWDVGGQEKLRPLWRSYTRRTDGLVFVVDAAEAERLEEAKVELHRISRASDNQGVPV LVLANKQDQPGALSAAEVEKRLAVRELAAATLTHVQGCSAVDGLGLQQGLERLYEMILKRKKAA RGGKKRR |
| Host | Mouse |
| Reactivity | Human |
| Quality Control Testing | Antibody reactive against mammalian transfected lysate. |
| Storage Buffer | No additive |
| Storage Instruction | Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing. |
| Note | For IHC and IF applications, antibody purification with Protein A will be needed prior to use. |



Applications

• Western Blot (Transfected lysate)

Western Blot analysis of ARL4D expression in transfected 293T cell line (<u>H00000379-T01</u>) by ARL4D MaxPab polyclonal antibody.

Lane 1: ARL4D transfected lysate(22.11 KDa). Lane 2: Non-transfected lysate.

Protocol Download

Gene Info — ARL4D

| Entrez GenelD | <u>379</u> |
|---------------------|--|
| GeneBank Accession# | <u>NM_001661</u> |
| Protein Accession# | <u>NP_001652</u> |
| Gene Name | ARL4D |
| Gene Alias | ARF4L, ARL6 |
| Gene Description | ADP-ribosylation factor-like 4D |
| Omim ID | <u>600732</u> |
| Gene Ontology | Hyperlink |
| Gene Summary | ADP-ribosylation factor 4D is a member of the ADP-ribosylation factor family of GTP-binding prot eins. ARL4D is closely similar to ARL4A and ARL4C and each has a nuclear localization signal a nd an unusually high guanine nucleotide exchange rate. This protein may play a role in membrane- associated intracellular trafficking. Mutations in this gene have been associated with Bardet-Biedl syndrome (BBS). [provided by RefSeq |
| Other Designations | ADP-ribosylation factor 4-like ADP-ribosylation factor-like 6 |